

IP8104/02351



INVESTOR IN PEOPLE

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ


I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

BEST AVAILABLE COPY



Signed *P. Mahoney*
Dated 1 July 2004



The
**Patent
Office**

28JUN03 E818345-10 D00619
F01/7700 0300-0315022.4

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also
get an explanatory leaflet from the Patent Office to
help you fill in this form)

1. Your reference

P034644GB : CJM

2. Patent application number

(The Patent Office will fill in this part)

0315022.4 ✓

26 JUN 2003 ✓

3. Full name, address and postcode of the or of
each applicant (underline all surnames)

CHIRON SRL
VIA FIORENTINA 1
53100 SIENA
ITALY

860881200/

Patents ADP number (if you know it)

If the applicant is a corporate body, give the
country/state of its incorporation

ITALY

4. Title of the invention

VIRULENCE-ASSOCIATED ADHESINS

5. Name of your agent (if you have one)

Carpmaels & Ransford

"Address for service" in the United Kingdom
to which all correspondence should be sent
(including the postcode)

43 Bloomsbury Square
London
WC1A 2RA

Patents ADP number (if you know it)

83001 ✓

6. If you are declaring priority from one or more
earlier patent applications, give the country
and the date of filing of the or of each of these
earlier applications and (if you know it) the or
each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise
derived from an earlier UK application,
give the number and the filing date of
the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right
to grant of a patent required in support of
this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an
applicant, or
- c) any named applicant is a corporate body

No

See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 43

Claim(s)

Abstract

Drawing(s) 10

210 8

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents (*please specify*)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

Carmichael & Ransford 26th June 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Carmichael & Ransford

CAMERON J. MARSHALL 020-7242 8692

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

VIRULENCE-ASSOCIATED ADHESINS

All documents cited herein are incorporated by reference in their entirety.

TECHNICAL FIELD

This invention is in the field of bacterial adhesion. In particular, it relates to virulence-related
5 adhesion antigens derived from *Haemophilus influenzae*, *Escherichia coli* and other organisms.

BACKGROUND ART

The Gram negative *Haemophilus* genus includes *H.influenzae*, *H.aegyptius* (also referred to as
H.influenzae biogroup *aegyptius*), *H.decreyi* and *H.somnus*. These bacteria can cause diseases
including conjunctivitis, chancroid, purpuric fever, meningitis, pneumonia and epiglottitis.
10 *H.influenzae* is the most commonly-found pathogen in this genus, and includes both typeable
(encapsulated) and non-typeable (non-capsulated; 'NTHi') strains.

A vaccine against *H.influenzae* type B ('Hib') based on a conjugate of its capsular saccharide and a
carrier protein has been enormously successful, but there has been little progress in providing
protection against other members of the species. In particular, type D *H.influenzae* and non-typeable
15 *H.influenzae* remain problematic.

Similarly, vaccines remain unavailable for other bacterial pathogens such as enterotoxigenic (ETEC),
enteropathogenic (EPEC), enteroaggregative (EAEC), enterohemorrhagic (EHEC) and shiga-toxic
(STEC) strains of *Escherichia coli*.

It is an object of the invention to provide materials and methods to improve the prevention and
20 treatment of infections caused by such bacteria. More particularly, it is an object of the invention to
provide materials suitable for immunising against bacterial infections.

DISCLOSURE OF THE INVENTION

Virulence-associated antigens involved in adhesion have been identified in several bacteria, and
these antigens are useful for the diagnosis, prevention and treatment of bacterial infections
25 (particularly those caused by virulent strains). In particular, antigens have been identified in:
Haemophilus influenzae biogroup *aegyptius* (SEQ ID NO: 1); *Escherichia coli* K1 (SEQ ID NO^s: 2
& 3) and also in EHEC strain EDL933; *Actinobacillus actinomycetemcomitans* (SEQ ID NO: 4);
Haemophilus somnus (SEQ ID NO: 5); *Haemophilus ducreyi* (SEQ ID NO: 6); EPEC *E.coli* strain
E2348/69 (SEQ ID NO^s: 7 & 29); EAEC *E.coli* strain O42 (SEQ ID NO^s: 8 & 9); uropathogenic
30 *E.coli* (SEQ ID NO: 10); *Shigella flexneri* (SEQ ID NO: 11); *Brucella melitensis* (SEQ ID NO: 12);
Brucella suis (SEQ ID NO: 13); *Ralstonia solanacearum* (SEQ ID NO: 14); *Sinorhizobium meliloti*
(SEQ ID NO: 15); *Bradorhizobium japonicum* (SEQ ID NO: 16); and *Burkholderia fungorum* (SEQ
ID NO: 17).

Although the degree of sequence identity between the antigens of the invention is low, an appreciation of the antigens at a level beyond simple primary sequence information shows that they share a common arrangement of domains from N-terminus to C-terminus, namely:

- a leader peptide
- a globular head
- a coiled-coil region
- a transmembrane anchor region

Sequence similarity between the various antigens is largely restricted to the C-terminal anchor region. This arrangement of domains is shared with *N.meningitidis* protein NadA {1}.

10 The positions of these features in SEQ ID NO^s: 1 to 18 are as follows:

SEQ ID	Organism	Length	Leader	Head	Coiled-coil	Anchor
1	<i>H.aegyptius</i>	>223	1-26	27-55	56-184	185...
2	EHEC	338	1-23	24-207	208-266	267-338
3		1588	1-53	54-1515 *		1516-1588
4	<i>A.actinomycetemcomitans</i>	295	1-25	26-150	151-222	223-295
5	<i>H.somnus</i>	452	1-26	27-158	159-378	379-452
6	<i>H.ducreyi</i>	273	1-21	22-198 *		199-273
7	EPEC	338	1-24	25-209	210-266	267-338
8	EAEC	717	1-23	24-109	110-645	646-717
9		1743	1-53	54-1670 *		1671-1743
10	UPEC	1778	1-53	54-1705 *		1706-1778
11	<i>S.flexneri</i>	990	1-917 *			918-990
12	<i>B.melitensis</i>	227	1-27	28-122	123-154	155-227
13	<i>B.suis</i>	311	1-27	28-206	207-238	239-311
14	<i>R.solanacearum</i>	1309	1-230 *		231-708	1239-1309
15	<i>S.meliloti</i>	1291	1-1219 *			1220-1291
16	<i>B.japonicum</i>	372	1-72	73-300 *		301-372
17	<i>B.fungorum</i>	3399	1-57	58-3328 *		3329-3399
18	EPEC	577	1-504 *			505-577

* The boundary between domains is less distinct for some polypeptides of the invention

Antigens

The invention provides a polypeptide comprising one or more of the following amino acid sequences: SEQ ID NO^s: 1 to 18.

15 The invention also provides a polypeptide comprising an amino acid sequence: (a) having at least *m*% identity to one or more of SEQ ID NO^s: 1-18, where *m* is 50 or more (e.g. 60, 65, 70, 75, 80, 85, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 99.5 or more); and/or (b) which is a fragment of at least *n* consecutive amino acids of one or more of SEQ ID NO^s: 1-18, wherein *n* is 7 or more (e.g. 8, 10, 12,

1, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These polypeptides include variants (e.g. allelic variants, homologs, orthologs, paralogs, mutants, etc.) of SEQ ID NO^S: 1-18.

5 Preferred fragments of (b) comprise an epitope from one or more of SEQ ID NO^S: 1-18, preferably a B-cell epitope. B-cell epitopes can be identified empirically or can be predicted algorithmically.

Other preferred fragments of (b) lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 45 or more) from the N-terminus of the relevant amino acid sequence from SEQ ID NO^S: 1-18. In particular, preferred fragments omit at least the N-terminus leader sequence.

10 Other preferred fragments omit one or more (i.e. 1, 2, or 3) of the four domains of SEQ ID NO^S: 1-18, based on the above table. Other preferred fragments consist of one or more (i.e. 1, 2, or 3) of the four domains of SEQ ID NO^S: 1-18.

Preferred polypeptides of the invention are presented in oligomeric form (e.g. dimers, trimers, tetramers, etc.). Trimers are preferred, but monomeric polypeptides of the invention are also useful.

15 The invention also provides polypeptides of the formula $\text{NH}_2\text{-A-}\{-\text{X-L-}\}_x\text{-B-COOH}$, wherein:

- X comprises an amino acid sequence: (a) having at least *m*% identity to one or more of SEQ ID NO^S: 1-18; and/or (b) which is a fragment of at least *n* consecutive amino acids of one or more of SEQ ID NO^S: 1-18, as defined above;
- L is an optional linker amino acid sequence;
- 20 - A is an optional N-terminal amino acid sequence;
- B is an optional C-terminal amino acid sequence; and
- *x* is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 or 18 (preferably *x*=2).

Where a -X- moiety has a leader peptide, this may be included or omitted in the hybrid protein. In some embodiments, the leader peptides will be deleted except for that of the -X- moiety located at the N-terminus of the hybrid protein i.e. the leader peptide of X₁ will be retained, but the leader peptides of X₂ ... X_x will be omitted. This is equivalent to deleting all leader peptides and using the leader peptide of X₁ as moiety -A-.

For each *x* instances of {-X-L-}, -X- may be the same or different, and linker amino acid sequence -L- may be present or absent. For instance, when *x*=2 the hybrid may be $\text{NH}_2\text{-X}_1\text{-L}_1\text{-X}_2\text{-L}_2\text{-COOH}$, $\text{NH}_2\text{-X}_1\text{-X}_2\text{-COOH}$, $\text{NH}_2\text{-X}_1\text{-L}_1\text{-X}_2\text{-COOH}$, $\text{NH}_2\text{-X}_1\text{-X}_2\text{-L}_2\text{-COOH}$, etc. Linker amino acid sequence(s) -L- will typically be short (e.g. 20 or fewer amino acids i.e. 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1). Examples comprise short peptide sequences which facilitate cloning, poly-glycine linkers (i.e. comprising Gly_{*n*} where *n* = 2, 3, 4, 5, 6, 7, 8, 9, 10 or more), and histidine tags (i.e. His_{*n*} where *n* = 3, 4, 5, 6, 7, 8, 9, 10 or more). Other suitable linker amino acid sequences

will be apparent to those skilled in the art. A useful linker is GSGGGG (SEQ ID NO: 19), with the Gly-Ser dipeptide being formed from a *Bam*HI restriction site, thus aiding cloning and manipulation, and the (Gly)₄ tetrapeptide being a typical poly-glycine linker.

-A- is an optional N-terminal amino acid sequence. This will typically be short (e.g. 40 or fewer amino acids *i.e.* 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1). Examples include leader sequences to direct protein trafficking, or short peptide sequences which facilitate cloning or purification (e.g. histidine tags *i.e.* His_{*h*} where *h* = 3, 4, 5, 6, 7, 8, 9, 10 or more). Other suitable N-terminal amino acid sequences will be apparent to those skilled in the art. If X₁ lacks its own N-terminus methionine, -A- is preferably an oligopeptide (e.g. with 1, 2, 3, 4, 5, 6, 7 or 8 amino acids) which provides a N-terminus methionine.

-B- is an optional C-terminal amino acid sequence. This will typically be short (e.g. 40 or fewer amino acids *i.e.* 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1). Examples include sequences to direct protein trafficking, short peptide sequences which facilitate cloning or purification (e.g. comprising histidine tags *i.e.* His_{*h*} where *h* = 3, 4, 5, 6, 7, 8, 9, 10 or more), or sequences which enhance protein stability. Other suitable C-terminal amino acid sequences will be apparent to those skilled in the art.

The invention also provides polypeptides comprising the amino acid sequence:

-A-W₁-W₂-W₃-W₄-B-

wherein:

- A is an optional sequence as defined above (preferably at the N-terminus of the polypeptide);
- B is an optional sequence as defined above (preferably at the C-terminus of the polypeptide);
- W₁ is an optional amino acid sequence: (a) having at least *m*% identity to the leader peptide of one or more of SEQ ID NO^S: 1-18; and/or (b) which is a fragment of at least *n* consecutive amino acids of the leader peptide of one or more of SEQ ID NO^S: 1-18;
- W₂ is an optional amino acid sequence: (a) having at least *m*% identity to the globular head domain of one or more of SEQ ID NO^S: 1-18; and/or (b) which is a fragment of at least *n* consecutive amino acids of the globular head domain of one or more of SEQ ID NO^S: 1-18;
- W₃ is an optional amino acid sequence: (a) having at least *m*% identity to the coiled-coil domain of one or more of SEQ ID NO^S: 1-18; and/or (b) which is a fragment of at least *n* consecutive amino acids of the coiled-coil domain of one or more of SEQ ID NO^S: 1-18;
- W₄ is an optional amino acid sequence: (a) having at least *m*% identity to the transmembrane anchor region of one or more of SEQ ID NO^S: 1-18; and/or (b) which is a fragment of at least *n* consecutive amino acids of the transmembrane anchor region of one or more of SEQ ID NO^S: 1-18;

provided that at least one of W₁, W₂, W₃ or W₄ is present.

5 The invention also provides a polypeptide comprising a polypeptide as described above, wherein the amino acid sequence of the polypeptide contains one or more amino acid mutations. The mutation(s) preferably result in the reduction or removal of an activity of a polypeptide of the invention which is responsible directly or indirectly for virulence or adhesion. For example, the mutation may inhibit an enzymatic activity or may remove a binding site in the protein. Mutation may involve deletion, substitution, and/or insertion, any of which may involve one or more amino acids. As an alternative, the mutation may involve truncation.

10 Mutagenesis of virulence factors is a well-established science for many bacteria {e.g. toxin mutagenesis described in refs. 2 to 8}. Mutagenesis may be specifically targeted to nucleic acid encoding a polypeptide of the invention. Alternatively, mutagenesis may be global or random (e.g. by irradiation, chemical mutagenesis, etc.), which will typically be followed by screening bacteria for those in which a mutation has been introduced into a gene encoding a polypeptide of the invention. Such screening may be by hybridisation assays (e.g. Southern or Northern blots etc.), primer-based amplification (e.g. PCR), sequencing, proteomics, aberrant SDS-PAGE gel migration, etc.

15 Polypeptides of the invention can be prepared by various means (e.g. recombinant expression, purification from cell culture, chemical synthesis, etc.) and in various forms (e.g. native, fusions, non-glycosylated, lipidated, etc.). They are preferably prepared in substantially pure form (i.e. substantially free from other bacterial or host cell proteins).

20 Whilst expression of the polypeptides of the invention may take place in the native host, the invention preferably utilises a heterologous host. The heterologous host may be prokaryotic (e.g. a bacterium) or eukaryotic. It is preferably *E.coli*, but other suitable hosts include *Bacillus subtilis*, *Vibrio cholerae*, *Salmonella typhi*, *Salmonella typhimurium*, *Neisseria lactamica*, *Neisseria cinerea*, *Mycobacteria* (e.g. *M.tuberculosis*), yeasts, etc.

Antibodies

25 The invention also provides antibodies which bind to polypeptides of the invention.

Antibody of the invention preferably has an affinity for a polypeptide of the invention of at least 10^{-7} M e.g. 10^{-8} M, 10^{-9} M, 10^{-10} M or tighter. Preferred antibodies can block the ability of a polypeptide of the invention to bind to a human cell.

30 Antibodies of the invention may be polyclonal or monoclonal and may be produced by any suitable means (e.g. by recombinant expression, purification from cell culture, chemical synthesis, etc.) and in various forms (e.g. native, fusions, glycosylated, non-glycosylated, etc.). They are preferably prepared in substantially pure form (i.e. substantially free from other antibodies).

The term "antibody" includes whole antibodies, Fv, scFv, Fc, Fab, F(ab')₂, etc.

Antibodies of the invention may include a label. The label may be detectable directly, such as a radioactive or fluorescent label. Alternatively, the label may be detectable indirectly, such as an enzyme whose products are detectable (*e.g.* luciferase, β -galactosidase, peroxidase, *etc.*).

Antibodies of the invention may be attached to a solid support.

- 5 Antibodies of the invention may be prepared by administering (*e.g.* injecting) a polypeptide of the invention to an appropriate animal (*e.g.* a rabbit, hamster, mouse or other rodent).

To increase compatibility with the human immune system, the antibodies may be chimeric or humanized {*e.g.* refs. 9 & 10}, or fully human antibodies may be used. Because humanized antibodies are far less immunogenic in humans than the original non-human monoclonal antibodies, they can be used for the treatment of humans with far less risk of anaphylaxis. Thus, these antibodies may be preferred in therapeutic applications that involve *in vivo* administration to a human such as, use as radiation sensitizers for the treatment of neoplastic disease or use in methods to reduce the side effects of cancer therapy.

Humanized antibodies may be achieved by a variety of methods including, for example: (1) grafting non-human complementarity determining regions (CDRs) onto a human framework and constant region ("humanizing"), with the optional transfer of one or more framework residues from the non-human antibody; (2) transplanting entire non-human variable domains, but "cloaking" them with a human-like surface by replacement of surface residues ("veneering"). In the present invention, humanized antibodies will include both "humanized" and "veneered" antibodies. {11, 12, 13, 14, 15, 16, 17}. Humanized or fully-human antibodies can also be produced using transgenic animals that are engineered to contain human immunoglobulin loci.

The phrase "constant region" refers to the portion of the antibody molecule that confers effector functions. In chimeric antibodies, mouse constant regions are substituted by human constant regions. The constant regions of humanized antibodies are derived from human immunoglobulins. The heavy chain constant region can be selected from any of the 5 isotypes: alpha, delta, epsilon, gamma or mu.

Nucleic acids

The invention also provides nucleic acid encoding the polypeptides of the invention. Furthermore, the invention provides nucleic acid which can hybridise to this nucleic acid, preferably under "high stringency" conditions (*e.g.* 65°C in a 0.1xSSC, 0.5% SDS solution).

- 30 Nucleic acid according to the invention can be prepared in many ways (*e.g.* by chemical synthesis, from genomic or cDNA libraries, from the organism itself, *etc.*) and can take various forms (*e.g.* single stranded, double stranded, vectors, probes, *etc.*). They are preferably prepared in substantially pure form (*i.e.* substantially free from other bacterial or host cell nucleic acids).

The term "nucleic acid" includes DNA and RNA, and also their analogues, such as those containing modified backbones (e.g. phosphorothioates, etc.), and also peptide nucleic acids (PNA), etc. The invention includes nucleic acid comprising sequences complementary to those described above (e.g. for antisense or probing purposes).

5 *Immunogenic compositions and medicaments*

Based on the structural and functional similarities to NadA, which is a good anti-meningococcal immunogen {1}, including their association with virulence, the polypeptides of the invention should also be useful for immunisation purposes.

10 The invention provides a composition comprising a polypeptide and/or a nucleic acid and/or an antibody of the invention. Compositions of the invention are preferably immunogenic compositions, and are more preferably vaccine compositions. Vaccines according to the invention may either be prophylactic (i.e. to prevent infection) or therapeutic (i.e. to treat infection), but will typically be prophylactic.

15 The pH of the composition is preferably between 6 and 8, preferably about 7. The pH may be maintained by the use of a buffer. The composition may be sterile and/or pyrogen-free. The composition may be isotonic with respect to humans.

The invention also provides a composition of the invention for use as a medicament. The medicament is preferably able to raise an immune response in a mammal (i.e. it is an immunogenic composition) and is more preferably a vaccine.

20 The invention also provides the use of one or more (e.g. 2, 3, 4, 5, 6) of the polypeptides of the invention in the manufacture of a medicament for raising an immune response in a mammal. The medicament is preferably a vaccine.

25 The invention also provides a method for raising an immune response in a mammal comprising the step of administering an effective amount of a composition of the invention. The immune response is preferably protective and preferably involves antibodies and/or cell-mediated immunity. The method may raise a booster response.

30 The mammal is preferably a human. Where the vaccine is for prophylactic use, the human is preferably a child (e.g. a toddler or infant) or a teenager; where the vaccine is for therapeutic use, the human is preferably a teenager or an adult. A vaccine intended for children may also be administered to adults e.g. to assess safety, dosage, immunogenicity, etc.

These uses and methods are preferably for the prevention and/or treatment of a disease caused by *Haemophilus influenzae* biogroup *egyptius*, *Escherichia coli* (particularly EHEC, EAEC, ETEC, EPEC and UPEC strains), *Actinobacillus actinomycetemcomitans*, *Haemophilus somnus*, *Haemophilus ducreyi*, *Shigella flexneri*, *Brucella melitensis*, *Brucella suis*, *Ralstonia solanacearum*,

Bradorhizobium meliloti, *Bradorhizobium japonicum* and *Burkholderia fungorum*. Thus the invention is suitable for the prevention and/or treatment of diseases including: conjunctivitis, chancroid, purpuric fever, meningitis, pneumonia, epiglottitis, peri-implantitis, periodontal disease, gingivitis, bovine encephalitis, arthritis, myocarditis, diarrhoea, ovine abortion, orchitis, undulant fever, porcine reproductive wastage, brucellosis, *etc.*

One way of checking efficacy of therapeutic treatment involves monitoring bacterial infection after administration of the composition of the invention. One way of checking efficacy of prophylactic treatment involves monitoring immune responses against the polypeptides after administration of the composition.

10 Compositions of the invention will generally be administered directly to a patient. Direct delivery may be accomplished by parenteral injection (*e.g.* subcutaneously, intraperitoneally, intravenously, intramuscularly, or to the interstitial space of a tissue), or by rectal, oral (*e.g.* tablet, spray), vaginal, topical, transdermal (*e.g.* see ref. 18) or transcutaneous (*e.g.* see refs. 19 & 20), intranasal (*e.g.* see ref. 21), ocular, aural, pulmonary or other mucosal administration.

15 The invention may be used to elicit systemic and/or mucosal immunity.

Dosage treatment can be a single dose schedule or a multiple dose schedule. Multiple doses may be used in a primary immunisation schedule and/or in a booster immunisation schedule. In a multiple dose schedule the various doses may be given by the same or different routes *e.g.* a parenteral prime and mucosal boost, a mucosal prime and parenteral boost, *etc.*

20 Bacterial infections affect various areas of the body and so the compositions of the invention may be prepared in various forms. For example, the compositions may be prepared as injectables, either as liquid solutions or suspensions. Solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection can also be prepared (*e.g.* a lyophilised composition). The composition may be prepared for topical administration *e.g.* as an ointment, cream or powder. The composition may be prepared for oral administration *e.g.* as a tablet or capsule, as a spray, or as a syrup (optionally flavoured). The composition may be prepared for pulmonary administration *e.g.* as an inhaler, using a fine powder or a spray. The composition may be prepared as a suppository or pessary. The composition may be prepared for nasal, aural or ocular administration *e.g.* as drops. The composition may be in kit form, designed such that a combined composition is reconstituted just prior to administration to a patient. Such kits may comprise one or more antigens in liquid form and one or more lyophilised antigens.

30 Immunogenic compositions used as vaccines comprise an immunologically effective amount of antigen(s), as well as any other components, as needed. By 'immunologically effective amount', it is meant that the administration of that amount to an individual, either in a single dose or as part of a series, is effective for treatment or prevention. This amount varies depending upon the health and

physical condition of the individual to be treated, age, the taxonomic group of individual to be treated (e.g. non-human primate, primate, *etc.*), the capacity of the individual's immune system to synthesise antibodies, the degree of protection desired, the formulation of the vaccine, the treating doctor's assessment of the medical situation, and other relevant factors. It is expected that the amount will fall in a relatively broad range that can be determined through routine trials.

The invention also provides the polypeptides of the invention (including NadA itself) for use as adjuvants (parenteral and/or mucosal). Similarly, the invention provides a composition comprising a polypeptide of the invention in admixture with a second antigen, whereby the polypeptide of the invention enhances the immune response against the second antigen when administered to a patient.

10 *Further components of the composition*

The composition of the invention will typically, in addition to the components mentioned above, comprise one or more 'pharmaceutically acceptable carriers', which include any carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition. Suitable carriers are typically large, slowly metabolised macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and lipid aggregates (such as oil droplets or liposomes). Such carriers are well known to those of ordinary skill in the art. The vaccines may also contain diluents, such as water, saline, glycerol, *etc.* Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, may be present. A thorough discussion of pharmaceutically acceptable excipients is available in reference 22.

Vaccines of the invention may be administered in conjunction with other immunoregulatory agents. In particular, compositions will usually include an adjuvant. Preferred further adjuvants include, but are not limited to: (A) aluminium salts, including hydroxides (e.g. oxyhydroxides), phosphates (e.g. hydroxyphosphates, orthophosphates), sulphates, *etc.* {e.g. see chapters 8 & 9 of ref. 23}, or mixtures of different aluminium compounds, with the compounds taking any suitable form (e.g. gel, crystalline, amorphous, *etc.*), and with adsorption being preferred; (B) MF59 (5% Squalene, 0.5% Tween 80, and 0.5% Span 85, formulated into submicron particles using a microfluidizer) {see Chapter 10 of 23; see also ref. 24}; (C) liposomes {see Chapters 13 and 14 of ref. 23}; (D) ISCOMs {see Chapter 23 of ref. 23}, which may be devoid of additional detergent {25}; (E) SAF, containing 10% Squalene, 0.4% Tween 80, 5% pluronic-block polymer L121, and thr-MDP, either microfluidized into a submicron emulsion or vortexed to generate a larger particle size emulsion {see Chapter 12 of ref. 23}; (F) RibiTM adjuvant system (RAS), (Ribi Immunochem) containing 2% Squalene, 0.2% Tween 80, and one or more bacterial cell wall components from the group consisting of monophosphorylipid A (MPL), trehalose dimycolate (TDM), and cell wall skeleton (CWS), preferably MPL + CWS (DetoxTM); (G) saponin adjuvants, such as QuilA or QS21 {see Chapter 22 of ref. 23}, also known as StimulonTM {26}; (H) chitosan {e.g. 27}; (I) complete Freund's adjuvant (CFA) and incomplete Freund's adjuvant (IFA); (J) cytokines, such as interleukins (e.g. IL-1, IL-2,

4, IL-5, IL-6, IL-7, IL-12, etc.), interferons (e.g. interferon- γ), macrophage colony stimulating factor, tumor necrosis factor, etc. {see Chapters 27 & 28 of ref. 23}; (K) monophosphoryl lipid A (MPL) or 3-O-deacylated MPL (3dMPL) {e.g. chapter 21 of ref. 23}; (L) combinations of 3dMPL with, for example, QS21 and/or oil-in-water emulsions {28}; (M) a polyoxyethylene ether or a polyoxyethylene ester {29}; (N) a polyoxyethylene sorbitan ester surfactant in combination with an octoxynol {30} or a polyoxyethylene alkyl ether or ester surfactant in combination with at least one additional non-ionic surfactant such as an octoxynol {31}; (N) a particle of metal salt {32}; (O) a saponin and an oil-in-water emulsion {33}; (P) a saponin (e.g. QS21) + 3dMPL + IL-12 (optionally + a sterol) {34}; (Q) *E.coli* heat-labile enterotoxin ("LT"), or detoxified mutants thereof, such as the K63 or R72 mutants {e.g. Chapter 5 of ref. 35}; (R) cholera toxin ("CT"), or detoxified mutants thereof {e.g. Chapter 5 of ref. 35}; (S) double-stranded RNA; (T) microparticles (i.e. a particle of ~100nm to ~150 μ m in diameter, more preferably ~200nm to ~30 μ m in diameter, and most preferably ~500nm to ~10 μ m in diameter) formed from materials that are biodegradable and non-toxic (e.g. a poly(α -hydroxy acid), a polyhydroxybutyric acid, a polyorthoester, a polyanhydride, a polycaprolactone, etc.), with poly(lactide-co-glycolide) being preferred, optionally treated to have a negatively-charged surface (e.g. with SDS) or a positively-charged surface (e.g. with a cationic detergent, such as CTAB); (U) oligonucleotides comprising CpG motifs i.e. containing at least one CG dinucleotide, with 5-methylcytosine optionally being used in place of cytosine; (V) monophosphoryl lipid A mimics, such as aminoalkyl glucosaminide phosphate derivatives e.g. RC-529 {36}; (W) polyphosphazene (PCPP); (X) a bioadhesive {37} such as esterified hyaluronic acid microspheres {38} or a mucoadhesive selected from the group consisting of cross-linked derivatives of poly(acrylic acid), polyvinyl alcohol, polyvinyl pyrrolidone, polysaccharides and carboxymethylcellulose; or (Y) other substances that act as immunostimulating agents to enhance the effectiveness of the composition {e.g. see Chapter 7 of ref. 23}. Aluminium salts and MF59 are preferred adjuvants for parenteral immunisation. Mutant toxins are preferred mucosal adjuvants.

Muramyl peptides include N-acetyl-muramyl-L-threonyl-D-isoglutamine (thr-MDP), N-acetyl-normuramyl-L-alanyl-D-isoglutamine (nor-MDP), N-acetylmuramyl-L-alanyl-D-isoglutaminyl-L-alanine-2-(1'-2'-dipalmitoyl-*sn*-glycero-3-hydroxyphosphoryloxy)-ethylamine MTP-PE), etc.

The composition may include an antibiotic.

30 **Further antigens**

As well as containing polypeptides of the invention, the compositions of the invention may also include one or more further antigens. Further antigens for inclusion may be, for example:

- a saccharide antigen from *N.meningitidis* serogroup A, C, W135 and/or Y, such as the oligosaccharide disclosed in ref. 39 from serogroup C {see also ref. 40} or the oligosaccharides of ref. 41.
- antigens from *Helicobacter pylori* such as CagA {42 to 45}, VacA {46, 47}, NAP {48, 49, 50}, HopX {e.g. 51}, HopY {e.g. 51} and/or urease.
- a saccharide antigen from *Streptococcus pneumoniae* {e.g. 52, 53, 54}.

- a protein antigen from *Streptococcus pneumoniae* {e.g. 55}.
 - an antigen from hepatitis A virus, such as inactivated virus {e.g. 56, 57}.
 - an antigen from hepatitis B virus, such as the surface and/or core antigens {e.g. 57, 58}.
 - an antigen from hepatitis C virus {e.g. 59}.
- 5 – a diphtheria antigen, such as a diphtheria toxoid {e.g. chapter 3 of ref. 60} e.g. the CRM₁₉₇ mutant {e.g. 61}.
 - a tetanus antigen, such as a tetanus toxoid {e.g. chapter 4 of ref. 60}.
 - an antigen from *Bordetella pertussis*, such as pertussis holotoxin (PT) and filamentous haemagglutinin (FHA) from *B. pertussis*, optionally also in combination with pertactin and/or
- 10 agglutinogens 2 and 3 {e.g. refs. 62 & 63}; whole-cell pertussis antigen may also be used.
 - a saccharide antigen from *Haemophilus influenzae* B {e.g. 40}.
 - polio antigen(s) {e.g. 64, 65} such as OPV or, preferably, IPV.
 - a protein antigen from *N. meningitidis* serogroup B {e.g. refs. 66 to 77}, such as NadA.
 - an outer-membrane vesicle (OMV) preparation from *N. meningitidis* serogroup B, such as
- 15 those disclosed in refs. 78, 79, 80, 81, etc.
 - an antigen from *Chlamydia pneumoniae* {e.g. refs. 82 to 88}.
 - an antigen from *Chlamydia trachomatis* {e.g. 89}.
 - an antigen from *Porphyromonas gingivalis* {e.g. 90}.
 - rabies antigen(s) {e.g. 91} such as lyophilised inactivated virus {e.g. 92, RabAvertTM}.
- 20 – measles, mumps and/or rubella antigens {e.g. chapters 9, 10 & 11 of ref. 60}.
 - influenza antigen(s) {e.g. chapter 19 of ref. 60}, such as the hemagglutinin and/or neuraminidase surface proteins.
 - an antigen from *N. gonorrhoeae* {e.g. 93, 94, 95, 96}.
 - antigen(s) from a paramyxovirus such as respiratory syncytial virus (RSV {97, 98}) and/or
- 25 parainfluenza virus (PIV3 {99}).
 - an antigen from *Moraxella catarrhalis* {e.g. 100}, such as UspA1 and/or UspA2
 - an antigen from *Streptococcus pyogenes* (group A streptococcus) {e.g. 101, 102, 103}.
 - an antigen from *Streptococcus agalactiae* (group B streptococcus) {e.g. 104}.
 - an antigen from *Staphylococcus aureus* {e.g. 105}.
- 30 – an antigen from *Bacillus anthracis* {e.g. 106, 107, 108}.
 - an antigen from a virus in the flaviviridae family (genus flavivirus), such as from yellow fever virus, Japanese encephalitis virus, four serotypes of Dengue viruses, tick-borne encephalitis virus, West Nile virus.
 - an antigen from *Pseudomonas*.
- 35 – an antigen from a HIV e.g. a HIV-1 or HIV-2.
 - an antigen from a rotavirus.

- a pestivirus antigen, such as from classical porcine fever virus, bovine viral diarrhoea virus, and/or border disease virus.
 - a parvovirus antigen *e.g.* from parvovirus B19.
 - a coronavirus antigen *e.g.* from the SARS coronavirus.
- 5 – a cancer antigen, such as those listed in Table 1 of ref. 109 or in tables 3 & 4 of ref. 110.

The composition may comprise one or more of these further antigens. It is preferred that combinations of antigens should be based on shared characteristics *e.g.* antigens associated with respiratory diseases, antigens associated with enteric diseases, antigens associated with sexually-transmitted diseases, *etc.*

- 10 Where a saccharide or carbohydrate antigen is used, it is preferably conjugated to a carrier protein in order to enhance immunogenicity {*e.g.* refs. 111 to 120}. Preferred carrier proteins are bacterial toxins or toxoids, such as diphtheria or tetanus toxoids. The CRM₁₉₇ diphtheria toxoid is particularly preferred {121}. Other carrier polypeptides include the *N.meningitidis* outer membrane protein {122}, synthetic peptides {123, 124}, heat shock proteins {125, 126}, pertussis proteins {127, 128},
- 15 protein D from *H.influenzae* {129}, cytokines {130}, lymphokines {130}, hormones {130}, growth factors {130}, toxin A or B from *C.difficile* {131}, iron-uptake proteins {132}, *etc.* Where a mixture comprises capsular saccharides from both serogroups A and C, it may be preferred that the ratio (w/w) of MenA saccharide:MenC saccharide is greater than 1 (*e.g.* 2:1, 3:1, 4:1, 5:1, 10:1 or higher). Different saccharides can be conjugated to the same or different type of carrier protein. Any suitable
- 20 conjugation reaction can be used, with any suitable linker where necessary.

Toxic protein antigens may be detoxified where necessary *e.g.* detoxification of pertussis toxin by chemical and/or genetic means {63}.

- Where a diphtheria antigen is included in the composition it is preferred also to include tetanus antigen and pertussis antigens. Similarly, where a tetanus antigen is included it is preferred also to include diphtheria and pertussis antigens. Similarly, where a pertussis antigen is included it is preferred also to include diphtheria and tetanus antigens.
- 25

Antigens in the composition will typically be present at a concentration of at least 1µg/ml each. In general, the concentration of any given antigen will be sufficient to elicit an immune response against that antigen.

- 30 As an alternative to using protein antigens in the composition of the invention, nucleic acid encoding the antigen may be used {*e.g.* refs. 133 to 141}. Protein components of the compositions of the invention may thus be replaced by nucleic acid (preferably DNA *e.g.* in the form of a plasmid) that encodes the protein.

Processes

The invention also provides a process for producing a polypeptide of the invention, comprising the step of culturing a host cell transformed with nucleic acid of the invention under conditions which induce polypeptide expression.

- 5 The invention provides a process for producing a polypeptide of the invention, comprising the step of synthesising at least part of the polypeptide by chemical means.

The invention provides a process for producing nucleic acid of the invention, comprising the step of amplifying nucleic acid using a primer-based amplification method (*e.g.* PCR).

- 10 The invention provides a process for producing nucleic acid of the invention, comprising the step of synthesising at least part of the nucleic acid by chemical means.

- The invention also provides a process for detecting the presence of a bacterium in a sample, comprising the step of contacting the sample with nucleic acid of the invention under hybridizing conditions; and (b) detecting the presence or absence of hybridization of nucleic acid of the invention to nucleic acid present in the sample. The presence of hybridization in step (b) indicates that the sample contains the relevant bacterium.
- 15

The invention also provides an immunoassay method for detecting the presence of a bacterium, comprising the step of contacting a sample with a polypeptide or antibody of the invention.

Adhesion inhibition

- 20 The invention provides methods for inhibiting the attachment of bacterial cells to host cells (*e.g.* human cells). The cell may be *in vitro* (*e.g.* in cell culture) or *in vivo*. The cells are most preferably human cells. The host cells will typically be epithelial or endothelial cells.

The invention provides a method for preventing the attachment of a bacterial cell to a host cell, wherein the ability of one or more of the polypeptides of the invention to bind to the host cell is blocked.

- 25 The ability to bind may be blocked in various ways but, most conveniently, an antibody specific for a polypeptide of the invention is used. As an alternative to using antibodies, antagonists of the interaction between the polypeptide of the invention and its receptor on the host cell may be used. As a further alternative, a soluble form of the host cell receptor may be used as a decoy. These can be produced by removing the receptor's transmembrane and, optionally, cytoplasmic regions.

- 30 The antibodies, antagonists and soluble receptors of the invention may be used as medicaments to prevent the attachment of a bacterial cell to a host cell.

The invention provides a method for preventing the attachment of a bacterial cell to a host cell, wherein expression of a polypeptide of the invention is inhibited. The inhibition may be at the level

transcription and/or translation. A preferred technique for inhibiting expression of the gene is antisense {e.g. refs. 142 to 148, etc.}. Antibacterial antisense techniques are disclosed in, for example, references 149 & 150.

5 The invention provides a method for preventing the attachment of a Neisserial cell to an epithelial cell, wherein the gene encoding the polypeptide of the invention is knocked out. Thus the invention provides a bacterium in which such genes have been knocked out. Techniques for producing knockout bacteria are well known. The knockout mutation may be situated in the coding region of the gene or may lie within its transcriptional control regions (e.g. within its promoter). The knockout mutation will reduce the level of mRNA encoding a polypeptide of the invention to <1% of that
10 produced by the wild-type bacterium e.g. <0.5%, <0.1%, 0%. The knockout mutants of the invention may be used as immunogenic compositions (e.g. as vaccines). Such a vaccine may include the mutant as a live attenuated bacterium.

The invention also provides methods for screening compounds to identify those (antagonists) which inhibit the binding of a bacterial cell to a host cell.

15 Potential antagonists for screening include small organic molecules, peptides, peptoids, polypeptides, lipids, metals, nucleotides, nucleosides, polyamines, antibodies, and derivatives thereof. Small organic molecules have a molecular weight between 50 and about 2,500 daltons, and most preferably in the range 200-800 daltons. Complex mixtures of substances, such as extracts containing natural products, compound libraries or the products of mixed combinatorial syntheses also contain potential
20 antagonists.

Typically, a polypeptide of the invention is incubated with a host cell and a test compound (e.g. an antibody), and the mixture is then tested to see if the interaction between the protein and the epithelial cell has been inhibited. The protein, cell and compound may be mixed in any order.

Inhibition will, of course, be determined relative to a standard (e.g. the native protein/cell interaction). Preferably, the standard is a control value measured in the absence of the test compound.
25 It will be appreciated that the standard may have been determined before performing the method, or may be determined during or after the method has been performed. It may also be an absolute standard.

For preferred high-throughput screening methods, all the biochemical steps for this assay are
30 performed in a single solution in, for instance, a test tube or microtitre plate, and the test compounds are analysed initially at a single compound concentration. For the purposes of high throughput screening, the experimental conditions are adjusted to achieve a proportion of test compounds identified as "positive" compounds from amongst the total compounds screened.

the method may also simply involve incubating one or more test compound(s) with a polypeptide of the invention and determining if they interact. Compounds that interact with the protein can then be tested for their ability to block an interaction between the protein and an epithelial cell.

Other methods which may be used include, for example, reverse two hybrid screening {151} in which the inhibition of the bacteria:host receptor interaction is reported as a failure to activate transcription.

The invention also provides a compound identified using these methods. These can be used to treat or prevent bacterial infection. The compound preferably has an affinity for App, ORF40 and/or NadA of at least 10^{-7} M e.g. 10^{-8} M, 10^{-9} M, 10^{-10} M or tighter.

Definitions

The term "comprising" means "including" as well as "consisting" e.g. a composition "comprising" X may consist exclusively of X or may include something additional e.g. X + Y.

The term "about" in relation to a numerical value x means, for example, $x \pm 10\%$.

References to a percentage sequence identity between two amino acid sequences means that, when aligned, that percentage of amino acids are the same in comparing the two sequences. This alignment and the percent homology or sequence identity can be determined using software programs known in the art, for example those described in section 7.7.18 of reference 152. A preferred alignment is determined by the Smith-Waterman homology search algorithm using an affine gap search with a gap open penalty of 12 and a gap extension penalty of 2, BLOSUM matrix of 62. The Smith-Waterman homology search algorithm is disclosed in reference 153.

BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1 to 15 show analyses of amino acid sequences of the invention to show coiled-coil regions.

Figure 16 shows conservation between anchor regions of polypeptides of the invention.

Figure 17 is an illustration of the NadA structure within the meningococcal outer membrane, in monomeric and trimeric form.

Figures 18 & 19 show comparisons of the genetic environment of genes encoding polypeptides of the invention. Figure 20 illustrates the genetic environment in *E.coli* K1 vs. K12.

MODES FOR CARRYING OUT THE INVENTION

Neisseria meningitidis NadA protein

Within the *Neisseria meningitidis* serogroup B genome {75}, an outer membrane protein (NadA) was identified {1} which shows weak homology to *Yersinia enterocolitica* adhesin YadA and to *Moraxella catarrhalis* surface protein UspA2 {154}. The *nadA* gene is present in a subgroup of

pathogenic *N.meningitidis* strains and is characterized by a low GC content, which suggests a probable acquisition event of the gene by horizontal transfer.

To investigate the possibility that proteins similar to the NadA adhesin could have been acquired by other pathogens, we searched for homologous proteins.

- 5 A sequence alignment of NadA & YadA revealed that the two proteins are most similar at the C-terminus, which is the membrane anchor domain. In NadA, this domain is approximately 70 residues long and contains five predicted amphipathic beta strands, which cross the outer membrane multiple times thus anchoring the protein to the surface of the bacterium (Figure 17). Within this region, the level of sequence similarity between NadA & YadA is around 60% identity while in the
10 N-terminal and central domain the homology is below 25% identity.

- In a first search, based on the NadA anchor domain, results included YadA and UspA2, but also other proteins, such as the serum resistance protein DsrA of *Haemophilus ducreyi*, the immunoglobulin binding proteins EibA-C-D-E and F of *E.coli*, and the outer membrane protein 100 of *Actinobacillus actinomycetemcomitans* [154]. In order to highlight more distant members of this
15 family, these results were used for further searches, and this approach identified 16 further results. These 16 polypeptides were further evaluated for secondary structure analysis, coiled coil prediction and presence/absence of a leader peptide. As expected, despite the little amino acid similarity displayed within the central regions, most of the identified polypeptides possess the coiled coil feature, which gives them the capability to form stable oligomers. The anchor regions of the
20 identified polypeptides are well conserved (Figure 16). In addition, the GC content of the genes encoding these polypeptides was lower than average for their respective genomes, suggesting that they are encoded by genes carried on mobile genetic elements.

Escherichia coli

- Polypeptides were found in pathogenic strains of *E.coli*, including enteropathogenic (EPEC),
25 enteroaggregative (EAEC), enterohemorrhagic (EHEC) and uropathogenic (UPEC) strains. Furthermore, a polypeptide almost identical to those of the EHEC and EPEC strains was found in the K1 strain, which is a capsulated *E.coli* strain responsible for neonatal meningitis. The K1 sequence aligns with NadA as follows:

	100	110	120	130	140	150
k1.pep	TGVVQIPARYQ	SMINARQSAVT	DAQQTQITEQQA	QIVATQKTLAAT	GGDTONTA	HYQEMIN
			::	:: ::	: :: :	:
NadA.pep	DAALADTDAAL	DETTNALNKL	GENITTFEAET	TKTNIVKID	EKLEAVADTV	D--KHAEAFN
	130	140	150	160	170	180
	160	170	180	190	200	210
k1.pep	ARLAAQNEAN	QRTTTEQGQ	KMNALTDDV	AAQQQKERA	QYDKMQSLA	QKSVOAHEQIESL
	: : :	::::	: :: : :::	:: :	::	:
NadA.pep	DIADSLDET	N--TKADEAV	KTANEAKQTAE	ETKQNVDAK	VKAAETAAG	KAEAAAGTANTA
	190	200	210	220	230	240
	220	230	240	250	260	270

```

k1.pep  RQDSAQTQQQLTNTQKRVDNSQQINTLNNHFDLKNVEDNRKEANAGTASAIASQP
      : : : : : : : : : : : : : : : : : : : : : : : : : : : :
NadA.pep ADKAEAVAAKVTDIKADIATNKADIAKNSARIDSLDKNVANLRKETRQGLAEQAALSGLF
      250      260      270      280      290      300

      280      290      300      310      320      330
k1.pep  QVKTGDVMMVSAGAGTFNGESAVSVGTSFNAGTHTVLKAGISADTQSDFGAGVGVGYSE
      | : : : : : : : : : : : : : : : : : : : : : : : : : : : :
NadA.pep QPYNVGRFNVTAAVGGYKSESAVAIGTGFRFTENFAAKAGVAVGTSSGSSAAYHVGVNVEW
      310      320      330      340      350      360

```

24.4% identity in 209 aa overlap

Another NadA analogue was encoded by the large virulence plasmid present in shiga toxigenic strains of *E.coli* (STEC) {155}. This protein (Saa) is expressed on the outer membrane of *E.coli* and forms high molecular weight oligomers. In contrast, no counterpart of NadA could be detected in the benign *E.coli* strain K12, supporting the view that these genes have been acquired by lateral exchange early during evolution of the species (Figure 20). Nor could a counterpart be seen in laboratory strain MG1655.

Prompted by these observations, and in order to assess a possible mechanism of insertion/deletion of these genes, the arrangement of the region that harbours the gene coding for the NadA-like molecule was investigated. The sequence of this region for the EHEC strain is SEQ ID NO: 23

This analysis showed that the gene organisation of the DNA segments is almost identical among the genomes of K1, EHEC and EPEC, with a sequence conservation of the NadA-like proteins that ranges from 95% identity between K1 and EHEC to 98% identity between K1 and EPEC. In the case of EAEC, although the flanking regions are conserved, the sequence of the NadA-like protein is 380 residues longer than the others, even if the N-terminus and C-terminus are well conserved.

Bacterium	Amino acid	Nucleic acid	Figure
<i>E.coli</i> K1 & <i>E.coli</i> EHEC strain EDL933	SEQ ID NO: 2	SEQ ID NO: 22	3
<i>E.coli</i> EPEC strain E2348/69	SEQ ID NO: 7	SEQ ID NO: 24	—
<i>E.coli</i> EAEC strain O42	SEQ ID NO: 8	SEQ ID NO: 25	4

Extending the analysis to the K12 genome, the insertion site was found to be between two hypothetical open reading frames (*YbbJ* and *YbbI*) coded on opposite strands, and that the small “island” consists of three genes: an ORF coding for an hypothetical integral membrane protein, the gene for the putative NadA-like adhesin, and an ORF for a predicted lipoprotein of unknown function. The two latter ORFs are probably co-transcribed, while the first one is coded on the reverse orientation. A couple of 7-bp direct repeats (CTGACGC) that could represent putative insertion sites could be mapped at the boundaries of the inserted fragments (SEQ ID NO: 23, starting at nucleotides 1811 & 4255), and this repeat is absent in the vicinities of the point of insertion in the K12 strain.

The length of the acquired DNA regions is 2348 bases for EPEC, 2450 bases for K1 and EHEC, and 2630 for EAEC (Figure 18). In all cases, the G+C content of the fragment is lower if compared to the

average composition calculated for each genome, thus confirming the preliminary hypothesis that this segment has been acquired by pathogenic *E. coli* by a mechanism of lateral transfer.

In the case of uropathogenic *E. coli* (UPEC), a different DNA segment was found between the *ybbJ* and *ybbI* genes. This segment is 1342 bp long and encodes a predicted cytoplasmic protein, which is conserved only in *Salmonella typhimurium* LT2, but absent from all the other analyzed strains of *E. coli*. Differently from the other described insertion fragments, no direct repeats could be mapped at the boundaries of this island, whose GC composition is also very similar to the average value. These data could indicate that the NadA-like encoding gene has been inserted later on in place of the c0608 gene. Nevertheless, subsequent search revealed that a gene coding for an homologue of NadA could be found in a different location of the genome of uropathogenic *E. coli* strain CFT073. This protein is more distantly related to NadA and is seen as a member of a second NadA-like family of proteins. Counterparts of this protein are contained in the other pathogenic strains of *E. coli* at analogous locations and, similarly to the first group of *E. coli* NadA-like molecules, the corresponding genes are also encoded on small islands and are not present in the K12 strain (Figure 19). Furthermore, these genes have strong similarities at the 3' end with a frame-shifted *Shigella flexneri* sequence. The arrangement of NLM flanking regions has been compared in the two species (*E. coli* and *Shigella*) revealing striking similarities. Although the sequence conservation is restricted to the amino and carboxy-terminal portions of the adhesin coding genes, the flanking regions are syntenic and share more than 80% identity at the nucleotide level. Upstream of the NadA-like gene, this island contains an ORF coding for a lipoprotein that is frameshifted either in EPEC, EHEC and in *Shigella*. Furthermore, in the genome of *Shigella*, two additional genes (*insA* and *insB*), coding for transposase elements are found in the vicinities of the NLM gene.

Bacterium	Amino acid	Nucleic acid	Figure
<i>E. coli</i> UPEC strain CFT073	SEQ ID NO: 10	SEQ ID NO: 26	5
<i>E. coli</i> EHEC	SEQ ID NO: 3	SEQ ID NO: 27	6
<i>E. coli</i> EAEC	SEQ ID NO: 9	SEQ ID NO: 28	7
<i>E. coli</i> EPEC	SEQ ID NO: 18	SEQ ID NO: 30	8
<i>S. flexneri</i>	SEQ ID NO: 11	SEQ ID NO: 31	9

Haemophilus

25 An incomplete NadA homolog was found in Brazilian purpuric fever (BPF) *Haemophilus influenzae* isolates {156}. This polypeptide has been named HadA. NadA and HadA align as follows:

```

                        10      20      30      40
HadA.pép             MKRNLLKQSVIAVLIGGTTVSNYALAAQAQAQVKKDELSELKKQVKEM-
                        :: |||:::| : : |::| ::: :
NadA.pép  KTVNENKQNVDAKVKAASEIEKLTTKLADTDAALADTDAALDETTNALNKLGENITTF
           100      110      120      130      140      150

           50      60      70      80      90      100
HadA.pép  DAAIDGILDDNIAYEAEVDAKLDQHSAAALGRHTNRLNNLKTIAEKAKGDSSEALDKIEAL

```


<i>H. ducreyi</i>	SEQ ID NO: 6	-	-
<i>H. actinomycetemcomitans</i>	SEQ ID NO: 4	-	-

NadA and the *H. actinomyetemcomitans* sequence align as follows:

10 20 30 40 50
 actac.pe MTYQLFKHHLVALMVTGAISVNALAKDSFLENPSANLPQQVFKNR--VD--IFNNETNI
 60 70 80 90 100 110
 NadA.pep TIYDIGEDGTITQKDATAADVEADDFKGLGLKKVVTNLTKTVNENKQNVDAKVAAESEI
 60 70 80 90 100 110
 actac.pe NENKKDIAINKANIASIEKDVMRNTGGIDRLAKQELVNRARITKNELDIRKNTKSAIENT
 120 130 140 150 160 170
 NadA.pep EKLTTKLADTDAALADTDAALDETTNALNKLGEN-----ITTFAETKTNIVKIDEKL
 120 130 140 150 160 170
 actac.pe ASIA-RIDGNLEGVNRVLQNVDRSTE-----NAARSANE--QKIAENKKAIENKA
 180 190 200 210 220 230
 NadA.pep EAVALTVDKHAEEAFNDIADSLDETNTKADAEAVKTANEAKQTAEETKQNVDAKVAAETAA
 180 190 200 210 220 230
 actac.pe DKADVEKNRADI AAN-SRAIAT-FRSSSQNIAALTTKVDRNTARIDRLDSRVNELDKVEVK
 240 250 260 270 280 290
 NadA.pep GKAEAAAGTANTAADKAEAAVAKVTDIKADIATNKADI AKNSARIDSLDKNVANLRKETR
 240 250 260 270 280 290
 actac.pe NGLASQAALSGLFQPYNVGSLNLSAAVGGYKSKTALAVGSGYRFNQNVAAKAGVAVSTN-
 300 310 320 330 340 350
 NadA.pep QGLAEQAALSGLFQPYNVGRFNVTAAVGGYKSESAVAIGTGFRFTENFAAKAGVAVGTSS
 300 310 320 330 340 350
 actac.pe GGSATYNVGLNFEW
 NadA.pep GSSAAYHVGVNVEW

37.0% identity in 284 aa overlap

NadA and the *H.somnus* sequence align as follows:

	90	100	110	120	130	140
H.somnus.pep	EVIKGWNEVKSLPRIDNGKDKQTKDQIAMLIRTVDNTELGRIVSTNIEDIKNLKKELY					
				: : : : : :		
NadA.pep	MSMKHFPSKVLTTAILATFCSGALAATSDD--DVKKAATVAIVAAYNNGQSLN					
		10	20	30	40	50
	150	160	170	180	190	
H.somnus.pep	GF-----VEDVNES---EARNISRIDENEKDIKNL--KKELYDFVEDVNESEARNISRID					
	: : : : : : : : : : : : : : : : :					
NadA.pep	GFKAGETIYDIGEDGTITQKDATAADVEADDFKGLGLKKVVTNLTKTVNENKQNVDKVK					
	60	70	80	90	100	110
	200	210	220	230	240	250
H.somnus.pep	ENEKDINTLK-ELMDED--LNSVLTQIEDVKLTFQDVNDNVNLAFEEINGNAQKFDTAIE					
	: : : : : : : : : : : : : : : :					
NadA.pep	AAESEIEKLTTKLADTDAALADTDAALDETTNALNKLGENITTFAEETKTNIIVKIDEKLE					
	120	130	140	150	160	170
	260	270	280	290	300	310
H.somnus.pep	GLTSGLSDLQAKVDANKQETEDDIADNAKAIHSNTKGIAKNTKDIRDLDTKTQKMLENDK					
	: : : : : : : : : : : : : : : : : : : :					
NadA.pep	AVAD-----TVDKHA-EAFNDIADSLDETNTKADEAVKTANEAKQTAEETKQ-----					

```

                180      190      200      210
                320      330      340      350      360      370
H.somnus.pep NLMTGLESLATETSKGFERFDVKTQQLDQAVANVVGVRVDITEQAIRQNTAGLVNVNKRVD
               | : : : : | : : : : : : | : | | : : : | : | | : : : | : |
NadA.pep NVDAKVKAETAAGKAEAAAGTANTAADKAEA-VAAKVTDIKADIATNKADIAKNSARID
               220      230      240      250      260      270

                380      390      400      410      420
H.somnus.pep TLDKN-----TKAGIASAVALGMLPQSTAPGKSLVSLGVGHHRGQSATAIGVSSMSSN
               : | | | | | : | : | : | : | | : | : | : | : | : | : | : | : |
NadA.pep SLDKNVANLRKETROGLAEQAALSGLFQPYNVGRFNVTAAVGGYKSESAVAIG-TGFRFT
               280      290      300      310      320      330

                430      440      450
H.somnus.pep GKWVVKGGMSYDTQRHATFGGSVGGFFN
               : : : : | : : : | : : : : | |
NadA.pep ENFAAKAGVAVGTSSGSSAAYHVGVNVEW
               340      350      360

```

23.2% identity in 354 aa overlap

NadA and the *H.ducreyi* sequence align as follows:

```

                150      160      170      180      190      200
H.ducreyi.pe SKNKQNIDTISKYLLLELGTLDGSYRMEQNTHNINKNTHNINKNTHNINKLSKELQTGL
               | : | | : | : : | : : | : : | : | : | |
NadA.pep EAAAGTANTAADKAEAAVAKVTDIKADIATNKADIAKNSARIDSLDKNVANLRKETROGL
               240      250      260      270      280      290

                210      220      230      240      250      260
H.ducreyi.pe ANQSALSMLVQPNGVGKTSVSAAVGGYRDKTALAIGVGSRITDRFTAKAGVAFNTYNGG-
               | : | : | | | | : | : : | : | : | : : | : | : | : | : | : | : |
NadA.pep AEQAALSGLFQPYNVGRFNVTAAVGGYKSESAVAIGTGFRFTENFAAKAGVAVGTSSGSS
               300      310      320      330      340      350

                270
H.ducreyi.pe MSYGASVGYEF
               : | : : | : | :
NadA.pep AAYHVGVNVEW
               360

```

47.5% identity in 101 aa overlap

NB: the coiled-coil prediction for the *H.ducreyi* polypeptide is not high.

Other bacteria

Further NadA homologs identified in the search are:

Bacterium	Amino acid	Nucleic acid	Figure
<i>Brucella melitensis</i>	SEQ ID NO: 12	SEQ ID NO: 32	10
<i>Brucella suis</i>	SEQ ID NO: 13	SEQ ID NO: 33	11
<i>Ralstonia solanacearum</i>	SEQ ID NO: 14	SEQ ID NO: 34	12
<i>Sinorhizobium meliloti</i>	SEQ ID NO: 15	SEQ ID NO: 35	13
<i>Bradorhizobium japonicum</i>	SEQ ID NO: 16	SEQ ID NO: 36	14
<i>Burkholderia fungorum</i>	SEQ ID NO: 17	SEQ ID NO: 29	15

5

Multiple sequence alignment

A multiple sequence alignment of members of the NadA "family" is below:

10 20 30 40 50 60


```

961_HI      -----MKNLLKQSVIAVLIGGTTVSN-----
961_ACTAC   -----MTYQLFKHHLVALMVTGAISVNAL-----
MenB_NadA   ---MSMKHFPSKVLTTAILATFCSGALAAATSDDDVKK---AATVAIVAAYNNGQEINGFKAG
YADA_YEREN  ---MTKDFKISVSAALISALESSPYAEADDDYDGIPN---LTAVQISPNADPALGLEYPVRP
961_HAESO   MKKVQFFKYSSLALALGLGVSASALAAPTSTSTTTGPEAPPTGPAPTAKDPLAETALAYD
961_K1      ---MKTNVNALLALIISATSSPVVLAGDTIEAAAT-----
961_HAEDU   -----MKIKCLVAVVGLACSTITTMAQQP-----

Prim.cons.  M23MK42K22LLA2AI2A2FS2GALAA2T6D444TGPEA33V3I3P3A333L33333333

              70          80          90          100          110          120
              |          |          |          |          |          |
961_HI      -----YALAQAAQAQVKKD-----
961_ACTAC   -----AKDSFLENPSANLPQQVFKNR---VDIFNNET-----
MenB_NadA   ETIYDIGEDGTITQKDATAADVEADDFGLGLKKVVTNLTK-----
YADA_YEREN  PVPGAGGLNASAKGIHSIAIGATAEAAKGAAVAVGAGSIATGVNSV-----AIG
961_HAESO   LENEVAYLRMKAGEWMQLGLDPEKEVIKGWNEVKSLPRIDGNGKDKQTKDQIAMLIRTV
961_K1      -----ELSAINSGMSQSEIEQKITRFLERTDNSPAAYT-----
961_HAEDU   -----PKFAGVSSLYSYEYDYGKKG-----

Prim.cons.  333333GL4A2A6677SS2ADAEA3VFKGL444255PNI5T22222QTKDQIAMLIR222

              130          140          150          160          170          180
              |          |          |          |          |          |
961_HI      ELSELKQVKEMDAAIDGILDDNIAEAEVDAKLDQHSAAALGRHTNRLNKLK-----
961_ACTAC   NINENKKDIAINKANIASIEKDVMRNTGGIDRLAKQELVNRARITKNELDIR-----
MenB_NadA   TVNENKQNVDAKVKAASEIEKLTTKLADTDAALADTDAALDETTNALNKLGE-----
YADA_YEREN  PLSKALGDSAVTYGAASTAQKDGVGAIGARASTSDTGVAVGFNSKADAKNSVAIGHSSHVA
961_HAESO   NTKELGRIVSTNIEDIKNLKKELYGFVEDVNESEARNISRIDENEKDIKNLKK-----
961_K1      YLTEHHYIPSETPDTTQTTPVQTDPDAGOKTVAATGVVQIPARYQSMINARQS-----
961_HAEDU   WTWSNEGGFDIKVPGIKMKPKEWISKQATYLELQHYMPYTFVLVTSAPDVSPS-----

Prim.cons.  NL2ENK22V323VAAIK2IPKDLIAK7ADVD23222V72A22R7T3A2NNLKSGHSSHVA

              190          200          210          220          230          240
              |          |          |          |          |          |
961_HI      -----IAEKAKGDSSEALDKIEALEEQONDE-----
961_ACTAC   -----KNTKSIAENTASIRIDGNLEGVNR-----
MenB_NadA   -----NITTFEETKTNIIVKIDKLEAVADT-----
YADA_YEREN  ANHGYSIAIGDRSKTDRENSVSIGHESLNRQLTHLAAGTKDTHAVNVAQLKKEIEKTQEN
961_HAESO   -----ELYDFVEDVNESEARNISRIDENEKDINTL-----
961_K1      -----AVTDAQQTQITEQQAQIVATOKTLAAT-----
961_HAEDU   -----SISILLYFMSDPDQLGINRQQLKLN-----

Prim.cons.  ANHGYSIAIGDRSKTDRENSVSIGHESLNR2L236A2K7KEE72ENIAQID2N2EQ22E2

              250          260          270          280          290          300
              |          |          |          |          |          |
961_HI      -----FLADITALEEG-----VDGLDDDIAGIQDN
961_ACTAC   -----VLQNVDRSTENAA-----RSRANEQKIAENKKA
MenB_NadA   VDKHAEAFENDIADSLDETNTKADEAVK-----TANEAKQTAEETKQN
YADA_YEREN  TNKRS-----AELLANANAYADNKSSSV-LGIANNYTDSKAETLENARKEAFAQSKDV
961_HAESO   KELMDDELNSVLTOIEDVKLTFQDVNDNVNLAFEETINGNAQKFDTAIEGLTSGLSDLQAK
961_K1      GDTQN---TAHYQEMINARLAAQNEAN-----QRTTTEQOQKMNALTTD
961_HAEDU   -----LYSYFNLEFHFDEK-----LKVLDARISKKNQKN

Prim.cons.  4DK44E22N34257LA22227A225A52VNL22222222223TT7N3L2QKIAE2K2N

              310          320          330          340          350          360
              |          |          |          |          |          |
961_HI      ISDIED-----DINQNSADIATNTAAIATH
961_ACTAC   IENKADKA-----DVEKNRADIANSRAIATF
MenB_NadA   VDAKVKAA-----ETAAGKAEAAAGTANTAAD
YADA_YEREN  LNMKAHSNSVARTTLETAEEHANSVAR-----TTLETAEEHANKKSAEALASANVYADS
961_HAESO   VDANKQETEDDIADNAKAHSNTKGIAKNTKDIRDLDTKTKQMLENDKNLMTGLESLEATE
961_K1      VAAQQQKE-----RAQYDKQMOSLAQKSVQAHE
961_HAEDU   IDTISK-----YLLELGTYLDGSYRMMEQN

Prim.cons.  2DA2K3KA2222222222222222A2NTKDI22L2T223D722NSA23AA3T22IATE

              370          380          390          400          410          420
              |          |          |          |          |          |
961_HI      -----TORLDNLDNRVNNLNKDLKRGGLAA
961_ACTAC   RSS---SQ-----NIAALTTKVDR-----NTARIDRLDSRVNELDKVEVKNGLAS
MenB_NadA   KAE---AVAAKVTDIKADIATNKADIADK-----NSARIDSLDKNVANLRKETRQGLAE
YADA_YEREN  KSS---HTLKTANSYTDVTVSNSTKKAIRESNQ-YTDHKKFRQLDNRLDKLDTRVDDKGLAS

```

```

961_HAESO TSKGFERFDVKTQQLDQAVANVGRVDITEQAIRQNTAGLVNVNKRVDTLDKNTKAGIAS
961_K1 QIES----LRQDSAQTQQQLTNTQKRVDADNSQQINTLNNHFDLSLKNEVEDNRKEANAGTAS
961_HAEDU THN-----IN-----KNTHNINKNTHNINKLSKELQTGLAN
: : : * *
Prim.cons. 2S22FE4544K44Q44Q5IANN6T2VAI3EQ3I24NTARID2LDNRVN2LDKE3KAGLAS

          430      440      450      460      470      480
          |        |        |        |        |        |
961_HI     QAALNGLFQPYNVGKLNLTAAVGGYKSTAVAVG-----
961_ACTAC  QAALSGLFQPYNVGSLNLSAAVGGYKSKTALAVGSG-YRFNQNVAAKAGVAVST-N-GGS
MenB_NadA  QAALSGLFQPYNVGRFNVTAAVGGYKSESAVAIGTG-FRFTENFAAKAGVAVGTSS-GSS
YADA_YEREN SAALNSLFQPYGVGKVNFTAGVGGYRSSQALAIGSG-YRVNENVALKAGVAYAG---SSD
961_HAESO  AVALGMLPQSTAPGKSLVSLGVGHRRGQSATAIGVSSMSSNGKWVVKGGMSYDTQR-HAT
961_K1     AIAIASQPQVKTGDVMMVSAGAGTFNGESAVSVGTS-FNAGTHTVLKAGISADTQS-DFG
961_HAEDU  QSALSMVLQPNVGKTSVSAAVGGYRDKTALAIGVG-SRITDRFTAKAGVAFNTYNGGMS
*: * : : * : : * : : * : : * : : * : : * : : * : : * : : * : :
Prim.cons. QAALSGLFQPYNVGKLNLSAAVGGY2S32A2AIG3GS2RFNEN2AAKAGVA2DTQ2GGSS

          490
          |
961_HI     -----
961_ACTAC  ATYNVGLNFEW
MenB_NadA  AAYHVGVNFEW
YADA_YEREN VMYNASFNIEW
961_HAESO  --FGGSVGFFFN
961_K1     --AGVGVGYSF
961_HAEDU  --YGASVGYEF
: : : :
Prim.cons. AGY2VGVNFEW

```

It will be understood that the invention has been described by way of example only and modifications may be made whilst remaining within the scope and spirit of the invention.

REFERENCES (the contents of which are hereby incorporated by reference)

- {1} Comanducci *et al.* (2002) *J Exp Med* 195:1445-1454.
- {2} WO93/13202.
- {3} Rappuoli & Pizza, Chapter 1 of *Sourcebook of Bacterial Protein Toxins* (ISBN 0-12-053078-3).
- {4} Pizza *et al.* (2001) *Vaccine* 19:2534-41.
- {5} Alape-Giron *et al.* (2000) *Eur J Biochem* 267:5191-5197.
- {6} Kitten *et al.* (2000) *Infect Immun* 68:4441-4451.
- {7} Gubba *et al.* (2000) *Infect Immun* 68:3716-3719.
- {8} Boulnois *et al.* (1991) *Mol Microbiol* 5:2611-2616.
- {9} Breedveld (2000) *Lancet* 355(9205):735-740.
- {10} Gorman & Clark (1990) *Semin. Immunol.* 2:457-466
- {11} Jones *et al.*, *Nature* 321:522-525 (1986)
- {12} Morrison *et al.*, *Proc. Natl. Acad. Sci. US.A.*, 81:6851-6855 (1984)
- {13} Morrison and Oi, *Adv. Immunol.*, 44:65-92 (1988)
- {14} Verhoever *et al.*, *Science* 239:1534-1536 (1988)
- {15} Padlan, *Molec. Immun.* 28:489-498 (1991)
- {16} Padlan, *Molec. Immunol.* 31(3):169-217 (1994).
- {17} Kettleborough, C.A. *et al.*, *Protein Eng.* 4(7):773-83 (1991).
- {18} WO99/27961.
- {19} WO02/074244.
- {20} WO02/064162.
- {21} WO03/028760.
- {22} Gennaro (2000) *Remington: The Science and Practice of Pharmacy*. 20th ed., ISBN: 0683306472.
- {23} *Vaccine design: the subunit and adjuvant approach* (1995) Powell & Newman. ISBN 0-306-44867-X.
- {24} WO90/14837.
- {25} WO00/07621.
- {26} WO00/62800.
- {27} WO99/27960.
- {28} European patent applications 0835318, 0735898 and 0761231.
- {29} WO99/52549.
- {30} WO01/21207.
- {31} WO01/21152.
- {32} WO00/23105.
- {33} WO99/11241.
- {34} WO98/57659.
- {35} Del Giudice *et al.* (1998) *Molecular Aspects of Medicine*, vol. 19, number 1.
- {36} Johnson *et al.* (1999) *Bioorg Med Chem Lett* 9:2273-2278.
- {37} International patent application WO00/50078.
- {38} Singh *et al.* (2001) *J. Cont. Rele.* 70:267-276.
- {39} Costantino *et al.* (1992) *Vaccine* 10:691-698.
- {40} Costantino *et al.* (1999) *Vaccine* 17:1251-1263.
- {41} WO03/007985.
- {42} Covacci & Rappuoli (2000) *J. Exp. Med.* 19:587-592.
- {43} WO93/18150.
- {44} Covacci *et al.* (1993) *Proc. Natl. Acad. Sci. USA* 90: 5791-5795.
- {45} Tummuru *et al.* (1994) *Infect. Immun.* 61:1799-1809.

- {6} Marchetti *et al.* (1998) *Vaccine* 16:33-37.
- {47} Telford *et al.* (1994) *J. Exp. Med.* 179:1653-1658.
- {48} Evans *et al.* (1995) *Gene* 153:123-127.
- {49} WO96/01272 & WO96/01273, especially SEQ ID NO:6.
- {50} WO97/25429.
- {51} WO98/04702.
- {52} Watson (2000) *Pediatr Infect Dis J* 19:331-332.
- {53} Rubin (2000) *Pediatr Clin North Am* 47:269-285, v.
- {54} Jedrzejewski (2001) *Microbiol Mol Biol Rev* 65:187-207.
- {55} WO02/077021.
- {56} Bell (2000) *Pediatr Infect Dis J* 19:1187-1188.
- {57} Iwarson (1995) *APMIS* 103:321-326.
- {58} Gerlich *et al.* (1990) *Vaccine* 8 Suppl:S63-68 & 79-80.
- {59} Hsu *et al.* (1999) *Clin Liver Dis* 3:901-915.
- {60} *Vaccines* (1988) eds. Plotkin & Mortimer. ISBN 0-7216-1946-0.
- {61} Del Giudice *et al.* (1998) *Molecular Aspects of Medicine* 19:1-70.
- {62} Gustafsson *et al.* (1996) *N. Engl. J. Med.* 334:349-355.
- {63} Rappuoli *et al.* (1991) *TIBTECH* 9:232-238.
- {64} Sutter *et al.* (2000) *Pediatr Clin North Am* 47:287-308.
- {65} Zimmerman & Spann (1999) *Am Fam Physician* 59:113-118, 125-126.
- {66} WO99/24578.
- {67} WO99/36544.
- {68} WO99/57280.
- {69} WO00/22430.
- {70} WO00/66791.
- {71} WO03/020756.
- {72} WO01/64920.
- {73} WO01/64922.
- {74} Tettelin *et al.* (2000) *Science* 287:1809-1815.
- {75} Pizza *et al.* (2000) *Science* 287:1816-1820.
- {76} UK patent application 0227346.4.
- {77} UK patent applications 0223741.0, 0305831.0 & 0309115.4.
- {78} Bjune *et al.* (1991) *Lancet* 338(8775):1093-96
- {79} WO01/52885.
- {80} Fukasawa *et al.* (1999) *Vaccine* 17:2951-2958.
- {81} Rosenqvist *et al.* (1998) *Dev. Biol. Stand.* 92:323-333.
- {82} WO02/02606.
- {83} Kalman *et al.* (1999) *Nature Genetics* 21:385-389.
- {84} Read *et al.* (2000) *Nucleic Acids Res* 28:1397-406.
- {85} Shirai *et al.* (2000) *J. Infect. Dis.* 181(Suppl 3):S524-S527.
- {86} WO99/27105.
- {87} WO00/27994.
- {88} WO00/37494.
- {89} WO99/28475.
- {90} Ross *et al.* (2001) *Vaccine* 19:4135-4142.
- {91} Dreesen (1997) *Vaccine* 15 Suppl:S2-6.
- {92} *MMWR Morb Mortal Wkly Rep* 1998 Jan 16;47(1):12, 19.

- {3} WO99/24578.
- {94} WO99/36544.
- {95} WO99/57280.
- {96} WO02/079243.
- {97} Anderson (2000) *Vaccine* 19 Suppl 1:S59-65.
- {98} Kahn (2000) *Curr Opin Pediatr* 12:257-262.
- {99} Crowe (1995) *Vaccine* 13:415-421.
- {100} McMichael (2000) *Vaccine* 19 Suppl 1:S101-107.
- {101} WO02/34771.
- {102} Dale (1999) *Infect Dis Clin North Am* 13:227-43, viii.
- {103} Ferretti *et al.* (2001) *PNAS USA* 98: 4658-4663.
- {104} WO02/34771.
- {105} Kuroda *et al.* (2001) *Lancet* 357(9264):1225-1240; see also pages 1218-1219.
- {106} *J Toxicol Clin Toxicol* (2001) 39:85-100.
- {107} Demicheli *et al.* (1998) *Vaccine* 16:880-884.
- {108} Stepanov *et al.* (1996) *J Biotechnol* 44:155-160.
- {109} Rosenberg (2001) *Nature* 411:380-384.
- {110} Moingeon (2001) *Vaccine* 19:1305-1326.
- {111} Ramsay *et al.* (2001) *Lancet* 357(9251):195-196.
- {112} Lindberg (1999) *Vaccine* 17 Suppl 2:S28-36.
- {113} Buttery & Moxon (2000) *J R Coll Physicians Lond* 34:163-168.
- {114} Ahmad & Chapnick (1999) *Infect Dis Clin North Am* 13:113-133, vii.
- {115} Goldblatt (1998) *J. Med. Microbiol.* 47:563-567.
- {116} European patent 0 477 508.
- {117} US patent 5,306,492.
- {118} International patent application WO98/42721.
- {119} *Conjugate Vaccines* (eds. Cruse *et al.*) ISBN 3805549326, particularly vol. 10:48-114.
- {120} Hermanson (1996) *Bioconjugate Techniques* ISBN: 0123423368 or 012342335X.
- {121} *Research Disclosure*, 453077 (Jan 2002)
- {122} EP-A-0372501
- {123} EP-A-0378881
- {124} EP-A-0427347
- {125} WO93/17712
- {126} WO94/03208
- {127} WO98/58568
- {128} EP-A-0471177
- {129} WO00/56360
- {130} WO91/01146
- {131} WO00/61761
- {132} WO01/72337
- {133} Robinson & Torres (1997) *Seminars in Immunology* 9:271-283.
- {134} Donnelly *et al.* (1997) *Annu Rev Immunol* 15:617-648.
- {135} Scott-Taylor & Dalgleish (2000) *Expert Opin Investig Drugs* 9:471-480.
- {136} Apostolopoulos & Plebanski (2000) *Curr Opin Mol Ther* 2:441-447.
- {137} Ilan (1999) *Curr Opin Mol Ther* 1:116-120.
- {138} Dubensky *et al.* (2000) *Mol Med* 6:723-732.
- {139} Robinson & Pertmer (2000) *Adv Virus Res* 55:1-74.

- {140} Donnelly *et al.* (2000) *Am J Respir Crit Care Med* 162(4 Pt 2):S190-193.
- {141} Davis (1999) *Mt. Sinai J. Med.* 66:84-90.
- {142} Piddock (1998) *Curr Opin Microbiol* 1:502-8.
- {143} Nielsen (2001) *Expert Opin Investig Drugs* 10:331-41.
- {144} Good & Nielsen (1998) *Nature Biotechnol* 16:355-358.
- {145} Rahman *et al.* (1991) *Antisense Res Dev* 1:319-327.
- {146} *Methods in Enzymology* volumes 313 & 314.
- {147} *Manual of Antisense Methodology* (eds. Hartmann & Endres).
- {148} *Antisense Therapeutics* (ed. Agrawal).
- {149} WO99/02673.
- {150} WO99/13893.
- {151} Vidal & Endoh (1999) *TIBTECH* 17:374-381.
- {152} *Current Protocols in Molecular Biology* (F.M. Ausubel *et al.*, eds., 1987) Supplement 30.
- {153} Smith & Waterman (1981) *Adv. Appl. Math.* 2: 482-489.
- {154} Hoiczyk *et al.* (2000) *EMBO J* 19:5989-5999.
- {155} Paton *et al.* (2001) *Infect Immun* 69:6999-7009.
- {156} Smoot *et al.* (2002) *Infect Immun* 70:2694-2699.
- {157} Fleischmann *et al.* (1995) *Science* 269:538-540.

SEQUENCE LISTING

SEQ ID NO: 1 (Haemophilus aegyptius)

MKRNLKQSVIAVLIGTTVSNYALAAQAQAQVKKDELSELKKQVKEMDAAIDGILDDNIAEAEVDAKLQDHSALGRHTNRLNNL
KTIAEKAKGDSSEALDKIEALEEQNDEFADITALEEGVDGLDDDIAGIQDNISDIEDDINQNSADIATNTAAIATHTQRLDNLNDRV
NNLNKDLKRGLAAQAALNGLFQPYNVGKLNLTAAVGGYKSTAVAVG

SEQ ID NO: 2 (Escherichia coli)

MKTVNVALLALIISATSSPVVLGDTIEAAATELSAINSGMSQSEIEQKITRFLERTDNSPAAYTYLTEHHYIPSETPDTTQTPTVQT
DPDAGQKTVAATGDVQTTARYQSMINARQSAVTDAAQTQITEQQAQIVATQKTLAATGDTQNTAHYQEMINARLAAQNEANQRTATEQ
GQKMNALTTDVAVQQQNERQYDKQMQLAQESAQAHEQIDSLSDQDVTQTHQQLTNTQKRVADNSQQINTLNNHFSSSLKNEVDNRKE
ANAGTASAIASQPQVKTDGVMMSAGAGTFNGESAVSVGTSFNAGTHTVLKAGISADTQSDFGAGVGVGYSF

SEQ ID NO: 3 (EHEC)

MNKIFKVIWNPATGNYTSETAKSRGKSGRSKLLISALVAGGMLSSFGALANAGNDNGQGVVDYSGSGSAGDGWVAIGKGAKANTFMNTSGSSTAVG
YDAIAEGQYSSAIGSKTHAIGGASMAFGVSAISEGDRSIALGASSYSLGQYSMALGRYSKALGKLSIAMGDSKKAEGANAIALGNATKATEIMSIAL
GDTANASKAYSMALGASSVASEENAIAGAETEAENATAIGNNAKAKGTNSMAMGFGSLADKVNTIALNGSQALADNAIAGQGNKADGVDAIAL
NGSQSRGLNTIALGTASNATGDKSLALGSNSANGINSVALGADSIADLDNTVSVGNSSLKRKIINVKNKAIKSDSYDAINGSQLYAISDSVAKRL
GGGAADVDDGTPTAPTNYLKNKSGKNNVGAALAVLDENTLQWDQTKGKYSAAHGTSSPTASVITDVADGTISASSKDAVNGSQLKATNDDEANTAN
IATNTSNIATNTANIATNTNITNLTDVSGDLQADALLWNETKKAFAAHGQDTSKITNVKDADLTADSTDAVNGSQLKTTNDVATNTTNIANNT
SNIATNTTNISNLTTETVTNLGEDALKWDKONGVFTAAHGTETTSKITNVKGDLTGSTDVAVNGSQLKTTNDVATNTTNIATNTTNISNLTTETVTN
LGEDALKWDKONGVFTAAHGNNTASKITNILDGTVTATSSDAINGSQLYDLSSNIATYFGGNASVNTDGVFTGPTYKIGETNYNVDALAAINSSF
ETSLGDALLWDATAGKFSAKHGTNGDASVITDVADGEISDSSSDAVNGSQLHGVSSYVVDALGGGAENVADGTITAPTYYTIANADYDNVGDALNAID
TTLDDALLWDADAGENGAFSAAHGKDKTASVITNVANGAISAASSDAINGSQLYTTNKYIADALGGDAENVADGTITAPTYYTIANAEYNNVGDALDA
LDDNALLWDETANGAGAYNASHDGKASIIITNVANGSISEDSTDAVNGSQLNATNMIEQNTQIINQLAGNTDATYIIEENGAGINYVRTNDGGLAFN
DASAQGVGATAIGYNSVAKGDSSVAIGQGSYSDVDTGIALGSSSVSSRVIAKGSRDTSITENGVVIGYDITDGEELGALSIGDDGKYRQIINVADGS
EAHDAVTVRQLQNAIGAVATPTKYFHANSTEEDSLAVGTDLSLAKGAKTIVNGDKGIGIGYGAYVDANALNGIAIGSNAQVIHVNSIAIGNGSTTR
GAQNTYNTAYNMDAPQMSVGEFSVGSADGQRQITNVAAGSADTDVAVNGQLKVTDAQVSQNTQSITNLDNRVTNLDNRVTNIENGIGDIVTTGSKYF
KTNTDGVDAQAQKDSVAIGSGSIAAADNSVALGTGSGVATEENTISVGSSTNQRRTNVAAGKNATDAVNVAQLKSSEAGGVRYDTKADGSIDYSNI
TLGGGNGGTTTRISNVAGVNNNDVNVYAQLKQSVQETQYTDQRMVEMDNKLSKTESKLSGGIASAMAMTGLPQAYTPGASMASIGGGTYNGESAVA
LGVSMVSANGRWVYKLQGSTNSQGEYSALGAGIQW

5 SEQ ID NO: 4 (Actinobacillus actinomycetemcomitans)

MTYQLFKHHLVALMVTGAISVNALAKDSFLENPSANLPQQVFKNRVDIFNNETNINENKKDIAINKANIASIEKDVMRNTGGIDRLAK
QELVNRARITKNELDIRKNTKSAIENTASARIIDGNLEGVNRVLQNVDRSTENAAARSANEQKIAENKKAIEKNKADKADVEKNRADI
AANSRAIATFRSSSQNIAALTTKVDRNTARIDRLDSRVNELDKVKNGLASQAALSGLFQPYNVGSLNLSAAVGGYKSKTALAVGSGY
RFNQNVAAKAGVAVSTNGGSATYNVGLNFEW

SEQ ID NO: 5 (Haemophilus somnus)

MKKVQFFKYSSLALALGLGVSASALAAPTSTSTTTGPEAPPTGPAPTAKDPLAETALAYDLENEVAYLRMKAGEWMQLGLDPEKEVIK
GWNEVKSPLRIDGNGKDKQTKDQIAMLIRTVDNTELGRIVSTNIEDIKNLKKELYGFVEDVNESEARNISRIDENEKDIKNLKKELY
DFVEDVNESEARNISRIDENEKDIKNLKKELYGFVEDVNESEARNISRIDENEKDIKNLKKELYGFVEDVNESEARNISRIDENEKDIKNLKKELY
DANKQETEDDIADNAKAIHSNTKGIKNTKDIRDLDTKTKQMLENDKNLMTGLESLATETSKGFERFDVKTQQLDQAVANVGRVDIT
EQAIRQNTAGLVNVNKRVDITLKNKTKAGIASAVALGMLPQSTAPGKSLVSLGVGHHRGQSATAIGVSSMSSNGKVVVKGGMYSYDTQRH
ATFGGSGVGGFFN

SEQ ID NO: 6 (Haemophilus ducreyi)

MKIKCLVAVVGLACSTITMAQPPKFAVSSLSYSEYDYGKGKWTWSNEGFGDIKVPKIKMKPKKEWISKQATYLELQHYMPYTPVLV
TSAPDVSPSSISILLYPMSDPDLGINRQQLKLNLYSYFNDLRHDFKLKVLDAKISKKNQNIIDTISKYLLLELGTLDGSRMMEQNT
NINKNTHNINKNTHNINKLSKELQTLANQSALSMLVQPNGVGKTSVSAVGGYRDKTALAIGVGSRTDRFTAKAGVAFNTYNGGMS
YGASVGYEF

SEQ ID NO: 7 (EPEC)

MKTVNVALLALIISATSSPVVLGDTIEAAATELSAINSGMSQSEIEQKITRFLERTDNSPAAYTYLTEHHYIPSETPDTTQTPPVQT
DPDAGQKTVAATGDVQTTARYQSMINARQSTVTDAAQTQITEQQAQIVATQKTLAATGDTQNTAHYQEMINARLAAQNEANQRTTTEQ
GQKMNALTTDVAAQQQKERAQYDKQMQLAQKSVQAHEQIESLRQDSAQTOQQLTNTQKRVADNSQQINTLNNHFSSSLKNEVEDNRKE
ANAGTASAIASQPQVKTDGMLMMSAGAGTFNGESAVSVGTSFNAGTHTVLKAGISADTQSDFGAGVGVGYSF

SEQ ID NO: 8 (EAEC)

MKTVKLSLLAVVAVATVSPSAFAGDTVEAATTELTVIOPGMSQSEIDQKIGRFLERTGNSVAAQNYLIAHDYQTTTPQENTAASPVQP
TNTLNPITNQAOQTDNRDNGQDTAIQDAQHAANWASLKADDAQHAITVAQTDIDANTAAITDTRNDVSAVQSDVTNIKGDVAHAQSTADH
ANANANTALINGVKLSGAVTENKNNIEQNRSDIADQOKLLASNEQKQIVRDNGQDTAIQDAQHAANWASLKADDAQHAITVAQTDIDA
NKAATDIRNDVSAVQSDVTNIKGDVAHAQSTADHANANANTALMNGVKLSAVTENKNNIEQNRSDIADQOKLLASNEQKQIVRDNG
QDTAIQDAQHAANWASMKADDAQHAITVAQTDIDANKAAIADTRNDVSAVQSDVTNIKGDVAHAQSTADHANANANTALINGVKLSGA
VTENKNNIEQNRSDIADQOKLLDETRKIVAATGDVQTAARYQSMIDARQTAAANAQQAQADTQOQQMDDQOKQIDATQKTVSALGDAQ
TNAHYQEMVNAGLRAQNDANARTAAEQKQKIDTLATNQATQOHINSVQYGEQIQRLAQDSTQTHEQIDSLTQDVTQTHQQLSNTQKRV
ADNSQOITTLNHFSSSLKNEVEDNRKEANAGTASAIASQPVKAGDFMMSAGAGTFNGESAVSVGTSFNAGTHTVIKAGVSADTQ
SDFGAGVGVGYSF

SEQ ID NO: 9 (EAEC)

MNKIFKVIWNPATGSYTVASETAKSRGKSGRSKLLISALVAGGMLSSFGVQAQAGRDNQGQVNYGQGTGTGWVAIGEDAKANSFTDT
GGGSSTAVGYHSTADGRWSTALGAKTHSLGEASVALGINTTSAGERSLAIGASATSTGGFSIALGRYANSVGEFSIAQGDHAETGADD
AIAFGRESKALGIMSIALGATANASKEYAMALGASSAASAANAIAVGRNSAAAGVDSLAFGRQSAASAANAIAIMGAESKAAENATAVG
TNAEANGLSIALGSGSIADVDNTIALGNQSQAAGAIAIGQGNKADGANAIALGNGSITGGVNAIALGQGSYAGLENGTAIGAQAS
AQKNSVALGAGSVATDADTVSVGNTTAQRQIVNMAAGDISTTSTDAINGSQLYAISKSVDNLGGGATVNAQGVVTSPPNYRLKSGIF
GTVGDAITGLDNNLTQWDSLKKYSAAHGTDTTSTITNVKDGAI SDTSKDAVNGSQLKTTNDNVATNTANITNTNSINTLTDSVGD
KDDALLWNGTAFSAAHGTEATSKITNVKDGDLTAGSTDAVNGSQLKTTNDNVATNTNTNITNLTDVSLGDDSLWNATAGAFSAAHGT
ATSKITNVKDGDLTAGSTDAVNGSQLKTTNDAVAANTTNIATNTNTNITNLTDVSLGDDSLWNATAGAFSAAHGTDATSKITNVTA
GDLTAGSTDAVNGSQLKTTNDAVAANTTNIATNTNTNITNLTDVSLGDDSLWNATAGAFSAAHGTDATSKITNVKDGDLTAGSTDA
VNGSQLKTTNDAVAANTTNIATNTNTNITNLTDVSLGDDSLWNATAGAFSAKHGTNGTDSKITNLLAGTVSSDSTDAINGSQLYGL
ADSFYSYLGGA DISDAGVLTGPTYTIGGTDYNNVGDALAAINTSFSTSLGDALLWDATAKGGDGAFA SAGRGTDN TASIITNVADGAI
SSTSSDAINGSQLYDTSKYIADTLGGDAEVNADGTITAPTYAIAAGGSYSNVGDAL EADITLDDALLWDATANDGNGAFSAAHGDKT
ASVITNVANGAISATSSDAINGSQLYTTNKYIADALGGDAEVNADGSITAPTYTIANAEYNNVGDALDALLDNDALLWDATANDGAGAY
NASHDGKASIIITNVADGNIGEGSTDAINGSQLENTNMLIQNSEIINQLAGNTSETYIEDNGAGINYVRTNDNGLAFNDASASGIGAT
AVGYNVAVSGESSVAIGQSSSNVDTGIALGSSSVSSRVIVKGRDTSVSEEGVVI GYDITD GELLGALSIGDDGKYRQIINVADGSE
AHDVTVRQLQNAIGAVATTPTKYFHANSTEEDSLAVGEDSLAMAKTIVNGNAGIGIGYGAYVDANALNGIAIGSNARANHANSIAM
GNGSQTTTGAQTGYAAYNMDAPQNSVGEFSVSGSEDGQRQITNVAAGSADTDVNVGQLKVTDAQVSQNTQSITNLNQVTNLDTRVTN
IENGIGDIVTTGSTKYFKTNTDGV DANAQGKDSVAIGSGSIAAADNSVALGTG SVANEENTISVGSSTNQRRITNVAAGVNATDAVNV
SQLKSSEAGGVRYDTKADGSVDYSNITLGGNGGTTTRISNV SAGVNNNDVAVNYAQLKQSVQETKQYTDQRMVEMDNKLSKTESKLSGG
IASAMAMTGLPQAYTPGASMASIGGGTYNGESAVALGVSMVSANGRWVYKLQGSTNSQGEYSALGAGIQW

SEQ ID NO: 10 (UPEC)

MNKIFKVIWNPATGSYTVASETAKSRGKSGRSKLLISALVAGGLSSFGASADNYTGQPTDYGDGSAGDGWVAIGKAKANTFMNTS
GASTALGYDAIAEGEYSSAIGSKTLATGGASMAFGVSAKAMGDRSVALGASSVANGDRSMAFGRYAKTNGFTSLAIGDSSSLADGEKTI
ALGNTAKAYEIMSIALGDNANASKEYAMALGASSKAGGADSLAFGRKSTANSTGSLAIGADSSSSNDNAIAGNKTQALGVNSMALGN
ASQASGESSIALGNTSEASEQNAIALGQGSIAKVN SIALGNSLSGGENAIALGESSAAGGSNSLAFGSQSRANGNDSVAIGVGAAA
ATDNSVAIGAGSTTDASNTVSVGNSATKRKIVNMAAGAI SNTSTDAINGSQLYTISDSVAKRLGGGATVGS DGTVTAVSYALRSGTYN
NVGDALSGIDNNLTQWNKTAGAFSANHGANATNKITNVAKGTVSATSTDV VNGSQLYDLQDALLWNGTAFSAAHGTEATSKITNVTA
GNLTAGSTDAVNGSQLKTTNDNVTTNTTNIATNTNTNITNLTDVAVNGLGDDSLWNKAAGAFSAAHGTEATSKITNVTAGNLTAGSTDA
VNGSQLKTTNDNVTTNTTNIATNTNTNITNLTDVAVNGLGDDSLWNKTAGAFSAAHGT DATSKITNVTAGNLTAGSTDAVNGSQLKTTN
DNVTTNTTNIATNTNTNITNLTDVAVNGLGDDSLWNKTAGAFSAAHGT DATSKITNVKAGDLTAGSTDAVNGSQLKTTNDNVSTNTTNI
TNLTDAVAVNGLGDDSLWNKTAGAFSAAHGT DATSKITNVKAGDLTAGSTDAVNGSQLKTTNDNVSTNTNTNITNLTDVAVNGLGDDSLW
NKAAGAFSAAHGTEATSKITNLLAGKISSNSTDAINGSQLYGVADSFYSYLGGA DISDAGVLTGPTYTIGGTDYNNVGDALAAINTS
FSTSLGDALLWDATAGKFSAKHGINNAPSVITDVANGAVSSTSSDAINGSQLYGVSDYIADALGNAVNTDGSITPTTYAIAAGGSYN
NVGDAL EADITLDDALLWDTTANGGNGAFSAAHGDKTASVITNVANGAVSATSND AINGSQLYSTNKYIADALGGDAEVNADGTIT
APTYTIAN TDYNNVGEALDALLDNNALLWDE DAGAYNASHDGNASKITNVAAGDLSTTSTDAVNGSQLNATNLTQNSQMINQLAGNT
SETYIEENGAGINYVRTNDSGLAFNDASASGIGATAVGYNVAVSHASSVAIGQDSISEVDTGIALGSSSVSSRVIVKGRNTSVSEEG
VVIGYDITD GELLGALSIGDDGKYRQIINVADGSEAHDAVTVRQLQNAIGAVATTPTKYFHANSTAEDSLAVGEDSLAMAKTIVNGN
AGIGIGLNTLVLADAINGIAIGSNARANHADS IAMGNGSQTTTGAQTNYTAYNMDAPQNSVGEFSVSGSEDGQRQITNVAAGSADTDV
NVGQLKVTDAQVSQNTQSITNLNTQVTNLDTRVTNIENGIGDIVTTGSTKYFKTNTDGADANAQGKDSVAIGSGSIAAADNSVALGTG
SVADEENTISVGSSTNQRRITNVAAGVNATDAVNVSQLKSSEAGGVRYDTKADGSI DYSNITLGGNGSGTTRISNV SAGVNNNDVAVNY
AQLKQSVQETKQYTDQRMVEMDNKLSKTESKLSGGIASAMAMTGLPQAYTPGASMASIGGGTYNGESAVALGVSMVSANGRWVYKLQ
STNSQGEYSALGAGIQW

SEQ ID NO: 11 (*Shigella flexneri*)

MTNLGEDALKWDKDNVFTAAGHTETTSKITNVKDGDLTTGSTDVAVNGSQLKTTNDAVATNTTNIATNTTNNISNLTTETVTNLGEDALK
WDKDNVFTAAGHNTASKITNLDGTVTATSSDAINGSQLYDLSSNIATYFGGNASVNTDGVFTGPTYKIGETNYYNVGDALAAINS
SFSTSLGDALLWDATAGKFSKAGHTNGDASVITDVADGEISDSSSDAVNGSQLHGVSSYVVDALGGGAENVADGTITAPTYYTIANADY
DNVGDALNAIDTTPDDALLWDADAGENGAFSAAHGKDKTASVITNVANGAISAASSDAINGSQLYTTNKYIADALGGDAENVADGTIT
APTYTIANAEYNNVGDALDALLDNDLWDKTANGGAGAYNASHDGKASIIITNVANGSISEDSTDVAVNGSQLNATNMMEQNTQIINQL
AGNTDATYIEENGAGINYVRTNNDLAFNDASASGVGATAVGVNAVASGASSVAIGQNSSSTVDTGIALGSSSVSSRVIKGSRDTSV
TENGVIIGYDTTDCELLGALSIGDDGKYRQIINVADGSEAHDAVTVRQLQNAIGAVATTPTKYFHANSTAEDSLAVGEDSLAMGAKTV
VNGNAGIGIGLNTLVLADAINGIAIGSNARANHANSIAMGNGSQTTTGAQTGYTAYNMDAPQNSVGEFSVSGEDGQRQITNVAAGSAD
TDAVNVGQLKVTDERVAQNTQSITNLNNQVTNLDTRVTNIENGIGDIVTTGSKYFKTNTDGVDAQAQKDSVAIGSGSIAAADNSVA
LGTGSVAEEENTISVGSSTNQRITNVAASVNATDAVNVSQLKSSEAGGVRYDTKADGSIDYSNITLGGNGSTTRISNVSAAGVNNND
AVNYAQLKQSAQETKQYTDQRMVEMDNKLSKTESKLSGGIASAMAMTGLPQAYTPGASMASIGGGTYNGESAVALGVSMSVANGRWVY
KLQGSTNSQGEYSALGAGIQW

SEQ ID NO: 12 (*Brucella melitensis*)

MSFFKKNISITAMGGLMLSLAVDAAKAEENVQVKLPPVFVFELENQGLANIALIRPRVIAPDNNLRPGGIVSGIAGLLTLGQENRN
LISENRQVINNNNTAIGQNRSTISNAKGVADNRRAAIRQNSAAISALGQVRDGLQGQINSARKEARAGANAALSGRLYDNRPGKVS
IATGVGGFKGSTALAAGIGYTSKNENARYNVSVAYNEAGTSWNAGASFTLN

SEQ ID NO: 13 (*Brucella suis*)

MSFFKKNISITAMGGLMLSLAVDAAKAEENVQVKLPPVFVFELENQGLANIALIRPRVIAPDNNLRPGGIVSGIAGLLTLGQENRN
LISENRQVINNNNTAIGQNSDRIDANAKGVADNRRAAIRQNSGRIDANAKGVADNKAAGRNSGRIDANAKGVADNKAAGRNSGRIDT
NAKGVADNRRAISQNRGRINANAAGVASNRRAAIRQNSAAISALGQVRDGLQGQINSARKEARAGANAALSGRLYDNRPGKVS
VGGFKGSTALAAGIGYTSKNENARYNVSVAYNEAGTSWNAGASFTLN

SEQ ID NO: 14 (*Ralstonia solanacearum*)

MVFSAMPQYACAEMLLQNDPGTNCGSVGDYAWARGDGYSGCKVGYEAAKNLAKGTAFGNSLGQLSPGTNILVYGSTLRAGMNDEVTP
LDSMNIGGHLVDWVGASGFHGGVDMNNSAIKNLADGTLSATSTEAVTGRQLNATNTNITNLQNSIKSISSSASLVQQAAGKDITVAKD
LDGDAVDFSGKKLSSTTFSRKLTGVAEGTLSATSTDAVSGKQLYTTNQNLSSTNQNLAETNKNVSATTTNITNLQNTIKN
ISGGSAGLVQQAAGKDITVAKDLDEAVDFSGKKLSSTTFSRKLTGVAEGTLSATSTDAVSGKQLYTTNQNLSSTNQNLAETNKN
TTAEGNLSSNTTSITNLQNTIKNISGGSAGLVQQAAGKDITVAKDLGDAVDFSGKKLSSTTFSRKLTGVAEGTLSATSTDAVSGR
QLYTTNQNLSSTNQNLAETNKNVSATTTNITNLQNTVNNISSGSAGLVQQAAGKDITVAKDLGDAVDFSGKKLSSTTF
SRKLTGVAEGTLSATSTDAVSGKQLYTTNQNLSSTNQNLAETNKNVSATTTNITNLQNTVNNISSGSAGLVQQAAGKDIT
VAKNLDGDAVDFSGKKLSSTTFSRKLTGVAEGTLSATSTDAVSGKQLYTTNQNLSSTNQNLAETNKNVSATTTNITNLQNT
TIKNISGGSAGLVQQAAGKDITVAKDLGDAVDFSGKNSDSTTFSRKLTGVAEGTLSATSTDAVSGKQLYTTNQNLSSTNQNLA
NKSIAKTNNNVSATTTNITNLQNTVNNISSGSAGLVQQAAGKDITVAKDLGDAVDFSGKKLSSTTFSRKLTGVAEGTLSATSTDA
VSGKQLYATNQNVSKLSANVTDVSDSVTNIKNTMTIVNGGGLKYFHANSTLDDAQAAMGLESIAFGGAAVAAGMNSMAMGGNARAVAG
NAVALGAGSVADRANTVSVGSAGKERQITNVAAGTADTDAVNVAQLKAAGIINGSGRTNATVTYGTNADGSADYGNVTLLGGGNAPAGT
AIHNVAAGTAETDAVNVQNMNAAIASVQKVSNTNDPMFAADGDRVAKRASAKGTHATAMGAAASAGGDQSVATGHNAQSGGDSVAMG
ANAKATANHAVAVGSGSVANRANTMSVGSAGSERQITNVAAGVQGTDAVNVSQLSQAVYAAVGDLPAGTTARQYTDEQIGMVRQGISQ
VARGAYSGIAAATALTMPDQDQKSIAIGIGSATYKGYQAVAGASARISHNLKAKMGVGYSSSEGTTVGMGASYQW

5 **SEQ ID NO: 15 (*Sinorhizobium meliloti*)**

MALGRQSVSAGSGSLAFNGSYANSNGSVAIGQSAYAAANVRAIAIGGDDAFWREAEQTKAGGSQSIAMGVRARTKSLVDDPDPTVAN
EADPGGASDAIAIGTDAQANGDRSLAIGRQNGAGNEQSIGIGAGNTATGKLSIGIGSSNVASGEQSLSLGAGNNALQGSISIGTETT
AGGLRSIAFGVRASTKEANLDIPDDVAIDAIAIGTNTKANGDRSVSIGTGSQASSGAVSIGDAKAVGDKSVSIGTESWADGDESVS
IGLVNNAGFEGNDRIKGGQTSVSLGAFNQSPGIEAIAIGARNEANADRSIAIGSRAKTKAADPAQADGGARDAVAIGTDALANDDRSI
SIGWNSSTSLNDSISIGTRATSGSAGDIMIGTSGSGTSGQNNVALGVAASQKVKGSSNIAIGDSAGGSREGDNNVAIGTNAGIQFS
ESEHETAVRADLVVSDAVSIGNEALASADEAIAIGTGAVASGLKSISIGVNTVSGASSGAIGDPTDITGTGSYSLGNDNTIAADNAG
TFGNDNTLADAADGSRVIGNGNNDIVSDAFVLGNGADVTEVGGVALGSGSVSDTGADVAGYVPGGASTADQNAIEATQSTRGAVAVGN
PDAETGVYRQITGVAAGTADSDAANVAQLKSVETIAKTGWKLTTDSGSIDGIGPDELVLKGGDGNIVISNQILSNDVSDLADEIEV
NRVTARPDPTGASTVLDENGLSFTTQDANGEDTALGPRVTAAGIQAAGKITNVAAGEADTDAVNFSQLRQVETASGNTDQRAVKYDWT
DANTNGVIDEGELNLDVTLGAGMGGTRISNLAPGALSAASTDAVNGSQLFGLRSRVSNVAVALGGGAAYDPVKDEWIAPKYTIGGTD
YSNVGDALAAVGGTAGAGWSLSAQGANASNVAPGETVDLRSGDGNIVSKAETGDTVDFDLADDLDVSESITVGADPADPNAPTIVIT
GGSIVIGSTMLGSNGLVITGGPSVTTDGDIDAGGMKVTNVANGTVAKDSKDAVNGGQLFDVVANATANGVGYDDKSKGTLTLEGANGTK
ITNVAAGDLNANSTDAVNGSQLYATNVKVDRLDTEVKEIDSRVITYIESFQGDLENAVYDTDAAGKRLNTLTLEGGDPDKPVLIANVA

YKATDAVNVGQLDESVAESKSYTDEKTEWAIDQAAIYTDQVIETKVSAVNNYAQORFAQLSGEIGQVRSEARQAAAIGLAAASLRF
EPGKLSVALGGGFWRSEGALAFGAGYTSRGRVRANLTGAAAGGNVGVGAGLSITLN

SEQ ID NO: 16 (Bradorhizobium japonicum)

MRAFGSGNAINGTNYAAVGSNNVAVGNGAVVGSNGVTGDNTAAFGSSIGIAGGNNAAVGSFSTVTGSNSAAVGSFNNVSGNNSGAF
GTGQNIIRNGTFAIGDPNIVNGNNSLVFGDNNVTNGSNVAGRGDNIQLVGSNNTIAATSSAAGSSVFGSGMTVNATNAVVMGNSTVS
GASSVAICNGTAVTGINAIAMGTGAGANFDNSVAIGSCATTTERRAQVAVCLASSTYTMSSGITSAAASKAAQSCFTQIVTSEDAENKATT
SLAGLGLASAGDINGINSQLAALNGRVDNLTRESRGGVALALAASSLQFDPKPGKISVSGGFGNFQGGSLAVGLGYSYSAMDRENA
FTAAQQGAIGVRAGASWTLN

SEQ ID NO: 17 (Burkholderia fungorum)

MNKTYRSVWNESTGTWVAASEHASARGKKSSAKTSSTKAVVGALGLAAGLYGADAFALGGGLTLCPTTEGSAGYTAGSASSANGAYCG
SDYQWGLFSNTNADGSKSGQPIGAIEGMNDGSLLLYGPNIVMKNLVSMSNNKIINLAPGTVSSTSDAVNGSGLYATNQNVSNIGN
TVNNITGAGIMYFHVNSTLADSTANGVNSIAIGGATRTDANNSISIGTGLTQASSNTGAIAIGQNASINVYGANSIAIGTNSATGGI
GGAIALGENAFATGGKMLALGSGASATTANSVALGSGSTTTANLTAAGYNPGSGTLAGTSQATNGEVSVGNAGAERRITNVAAGSAAT
DAVNVSQLQSEDAKVNTINNNVNNLSGSVTNISSTVNNITNGGGIKYFHNSTQADSSATGTDVAIGGNAQATAANSVALGLNSTSK
GTNAIALGGAAGGYAFAAGSLAALATGDIAGSSATASSANSNAYATALGTNALANATDATAIGEGASATAASSVALGARSKTTA
NLSTAGYNPGTGLSGTTPTEGVSVGSAGKERRITNVAAGSAATDAVNVSQLMSEDAKVNTINNNVNNLSNNVTNIAGNVTNISNTVN
NITNGGGIKYFHVNSTLADSSAGGTNSIAIGGGATTGNVTAGTSDNISIGTNATTNYGKNIAIGGNAQALGGAYDGGYNTAIGENAI
KGDGAGGFGGGGWTGTAIGGGSQALHDNTTAVGSGAIANVANATALGMSASATAGSAIALGQGAVASAANSVALGSGSTTTXNLSAA
GYNPGTGLSGIASVANGEVSVGAAGKERRITNVAAGSAATDAVNVSQLQSEDAKVNTINNNVNNLSGSVTNISNTVNNITNGGGIKY
FHTKSTLADSSATGTDVAIGGNAQATAANSVALGSNSTTTANLSAAGYNPGTGALSGIASAANGEVSVGAAGKERRITNVAAGSAAT
DAVNVSQLQSEDAKVNTISNNVNNLSGSVTNISSTVNNITNGGGIKYFHTNSTLADSTANGVNSIAIGGATRTDANNSISIGTGLTQA
SSNTGAIAIGQNASINVYGANSIAIGTNSATGGIGGAIALGENAFATGGKMLALGSGASATTANSVALGSGSTTTANLTAAGYNPGSG
TLAGTSQATNGEVSVGNAGAERRITNVAAGSAATDAVNVSQLQSEDAKVNTINNNVNNLSNNVTNIAGNVTNISNTVNNITNGGGIKY
FHTKSTLADSSATGTDVAIGGNAQATAANSVALGSNSTTTANLSAAGYNPGTGLSGTTPTEGVSVGSAGKERRITNVAAGSAATDA
VNVSQLQSAIIGSTANAVAYDDGTAKATVTLKGASGKTIINLTAGNLSATSTDAVNGSGLYATNQNVSNIGNTVNNITNGGGIKYFHN
STQADSSATGSNSVAVGDRASSLGGSSVAMGDGATAVGAASIAIGNNAQNVTSNNSVAIGGDSKAGDRSVSLNGADTSLSSWGVAV
GTANANVAALGTAIGAGANVSGANSTAIGANAVASATNSVALGSNSTTTANLSAAGYNPGTGLSGIASAANGEVSVGAAGKERRITN
VAAGSAATDAVNVSQLQSEDAKVNTINNNVNNLSGSVTNISSTVNNITNGSGIKYFHTNSTLADSSAGGANSIAIGGGAATSSAGLS
DNMAIGTNATASYGKNIAIGGGAQATGGTYDGGYNVALGENANATAGTNAWGHNTAIGANTVINGVNSVALGISATTSGSGSMAFGSA
AQASADYAIASGAGANASAVNSVALGSNSTTTANLSAAGYNPGTGLSGIASVANGEVSVGSAGKERRITNVAAGSAATDAVNVSQLQ
SEDAKVNTINNNVNNLSNNVSNIAAGNVTNISNTVNNITNGGGIKYFHNSTLADSSATGTDVAIGGNAQATAANSVALGSNSTTTA
NLSAAGYNPGTGLSGTTPVGEVSVGSAGKERRITNVAAGSAATDAVNVSQLQSAIIGSTANAVAYDDGTAKATVTLKGASGKTIINLT
AGNLSATSTDAVNGSGLYATNQNVSNVGNVTNSNNSNNVTNIAGNVTNISNTVNNITNGGGIKYFHNSTLADSSATGTDVAIGGNAQ
ATAANSVALGSNSTTTANLSAAGYNPGTGALSATTPVGEVSVGSAGKERRITNVAAGSAATDAVNVSQLMSEDAKVNTINNNVNNLSN
NVSNIAGNVTNISNTVNNITNGGSGIKYFHNSTLADSSATGTDVAIGGNAQATAANSVALGSNSTTTANLSAAGYNPGTGALSGIA
SAANGEVSVGAAGKERRITNVAAGSAATDAVNVSQLQSEDAKVNTINNNVNNLSNNVSNIAAGNVTNISNTVNNITNGGSGIKYFHANS
TLADSSATGTDVAIGGNASASAANSVALGSNSTTTANLSAAGYNPGSAAALSGTASAANGEVSVGAAGKERRITNVAAGSAATDAVNV
SQLQSEDAKVNAEGAATAAALGGGSTYNTTTGATISPTYIAGGKTFNNVGDVVTNIDGRVTQNSTDITNLTTTIDNGTIGLVQQATPT
STITVAKDTGGATVDFRGTGNATRLTGITAGELSATSTDAVNGSGLYATNQNVSNIDNTVSNLSNNVTNIAGNVTNISNTVNNITNG
GGGIKYFHNSTLADSSATGTDVAIGGNAQATAANSVALGSNSTTTANLSAAGYNPGTGLSGIASAANGEVSVGAAGKERRITNVA
AGSAATDAVNVSQLQSEDAKVNTINNNVNNLSNNVSNIAAGNVTNISNTVNNITNGGGIKYFHNSTLADSSATGTNSLAAGPAAVAS
ATDAVALGNGAKATNAGAVAGSTTTTAVATSGTTIGGITYTFAGVAPSSVSVGAAGSERTITNVAAGRLSATSTDAVNGSELFA
TNQQVTRNTADITNLNMMNIGSVGLVQQDATTRITVAKATDGTVDFTGTGGARQLTGVAAGAVNATSVDAVNGSGLYGVSSQSVAD
AIGGGSTVNTDGSISAPTYVVDGTTVHNAGDAISNLDNRVTQNTTDISTINNTLNSITTGAGVKYVHVNSTLADSLAKGAESVAIGGN
AQSQAANSVALGSNSVADRANTVSVGAAGAERQITNVAAGTADTDAVNVQALKASGVINTDGTNAAVTDHNDAGSANYNSVTMGNG
VAGGTTIHVAAGSAADDAVNVSQLMNAISSVSNIIGSAGNPLFTADGNRDTEAAVASGTHATAMGANAKASAANSVALGANSVADRE
NTVSVGSAGNERQVTNVAAGTATDAVNVGQLNQAIGASIGNLPAGMSAKDYTDQQINAVQNGVNQVAKNAYAGIAAATAALTMIPDVD
QGKTIAGVGGGSYKGSQAVAGLISARITQNLKMKAGAGTSSQGTTVGLGASYQW

SEQ ID NO: 18 (EPEC)

MLIQONSEVINQLAGNTSETYIEENGASINYVRTNDTGLTFTDASAAGIGSTAVGYNTVAKGDNVAMGYNSFAEGHSSVAIGQGSYS
GVETSIALGSESVSSRVIVKGRNSTSVSEGVVIGYDTTDGGELLGALSIGDDGKYRQIINVADGSEAHDAVTVRQLQNAIGAVATPT
KYYHANSTAEDSLAVGEDSLAMAKTIVNGNAGIGLNTLVLADAINGIAIGSNARANHADSIAMNGSQTTTGAQTNYTAYNMDAP
QNSVGEFSVGSSEDDQRQITNVAAGSADTDAVNVGQLKVTDAQVSQNTQSITNLNTQVTNLDRVTNIENGIGDIVTGTSTKYFKTNTD

ANAAQKDSVAIGSGSIAAADNSVALGTGSVANEENTISVGSSTNQRRITNVAAGVNATDAVNVSQKLSSEAGGVRYDTKADGSID
ENITLGGNGGTTTRISNVSAVNNNDVNYAQLKQSVQETKQYTDQRMVEMDNKLSKTESKLSGGIASAMAMTGLPQAYTPGASMAS
IGGGTYNGESAVALGVMVSANGRWVYKLQGSTNSQGEYSALGAGIQW

SEQ ID NO: 19

GSGGGG

SEQ ID NO: 20 (Haemophilus aegyptius)

GTACCGCACGAGCTGGCAAAAAAGGCACGGCAGTCTCTTTTGTGCGAAGCCCATGATTACAAGTTGCTAGGTAAAATCAAACGTTATAC
TGAGGAAATTTTAAAGGCACGCATTTTAGCAGGTTTAGAACCTCGCAGTAAGCCACCAAAAGATGGCGAAGTGAAATCTGTCAGCAAA
AAACAAAAGGCGCGCATTAAGAAAAACGTGAAGATAAGAAAAAACAGAGGCAAGAAAAAGTAAAATTGCGTCATAAGGATACAA
AAAATATCGGCACACGACGCAAGCCAAGTAATAGTAATATTAAATTAGGTATGATGTAATTCGCTTGAGGCAAAATTTACATAGGA
AATTTTCTATATTGCTTTAACGTTTTTTTATAGTAGAAGTATATACTCAGTTATGGTTATGGTTACATAGTATAGTTTTACTTTGTT
CTAGTTCACCTTAATAACCTTAATAATTGAGGATTTCTTATGAAAAGAAAATTTATTAACAATCTGTAATCGCTGTGTGATAGGT
GGCACTACTGTTTCTAATTATGCTTTAGCACAAAGCACAGCACAGCACAGTCAAAAAAGATGAACTTAGTGAGTTAAAGAAAACAAG
TAAAGGAAATGGATGCTGCTATCGATGGTATTCTTGATGATAATATTGCTTATGAAGCTGAAGTTGATGCAAACTTGATCAGCATTC
TGCTGCTCTTGCTAGACATACAAATAGACTCAATAATCTTAAACGATTGCAGAGAAAGCAAAAGGTGATTCAAGTGAAGCACTTGAT
AAAATTGAAGCTCTTGAAGAACAAAATGATGAGTTTTTAGCGGATATTACAGCTTTAGAAGAGGGAGTTGATGGTTTAGATGATGATA
TCGAGGTATTCAAGATAATATTTCTGATATAGAAGATGATATTAATCAAAATCTGCAGACATCGCACTAACACAGCGGCAATCGC
AACTCACACTCAACGCTCTTGATAATTTAGATAACAGAGTAAATAACCTTAATAAAGATCTTAAACGTGGTCTTGCTGCTCAAGCTGCA
TTAAATGGTTTATTCCAACCGTATAACGTAGGTAAATTAATCTTACTGCTGCTGTAGGTGGTTATAAATCTCAAACCTGCAGTTGCTG
TAGGTAC

SEQ ID NO: 21 (Haemophilus somnus)

ATGAAAAAGTACAATTTTTTAAATATTTCATCATTGGCATTAGCATTGGGTTTAGGGGTAAAGTGCTTCTGCTTTGGCAGCCCCAACAA
GTACAAGTACGACTACTGGACCAGAGGCGCCTCTACAGGCCCTGCTCTACGGCGAAAGACCCTCTAGCAGAAACAGCGTTAGCCTA
TGATTTGGAGAACGAAGTTGCGTATCTTCGTATGAAGGCGGGTGAGTGGATGCAATTGGGGCTTGATCCTGAAAAAGAAGTCATCAAA
GGCTGGAATGAGGTAAAATCTCTCCCTCGTATCGATGGAAATGGAAGGATAAACAGACAAAAGATCAAATAGCAATGTTGATAAGAA
CGGTTGATAATACAAAAGAGCTTGGTCCGATCGTTAGTACAAACATTGAAGATATTAAGAACCTTAAAAAGAGCTTTACGGTTTTGT
AGAAGATGTGAACGAGAGTGAAGCACGCAATATCTCAAGAATAGATGAGAATGAGAAAGATATTAAGAACCCTTAAAAAGAGCTTTAC
GATTTTGTAGAAGATGTGAACGAGAGTGAAGCACGCAATATCTCAAGAATAGATGAAAATGAGAAGGACATTAATACTCTTAAAGAGC
TAATGGATGAGGATTTAAATTCAGTCTTAACCCAAATTGAAGATGTAAACTCACATTTCAAGATGTCAATGATAACGTTAATTTGGC
ATTTGAAGAGATTAATGGAATGCCAAAAGTTTGACACTGCTATTGAAGGACTTACTTCAGGTTTGAGCGATTACAAAGCTAAAGTC
ATGCAATAAACAAGAACTGAAGACGATATTGCGGACAATGCCAAGGCTATTATAGCAACACAAAAGGTATTGCTAAAAATACCA
AGGATATTCGTGACTTGACACCAAAACCAAGCAAAATGTTGGAATAATGACAAAACTTGATGACCGGTTAGAATCTTTAGCAACAGA
AACAAGCAAAGGCTTTGAAAGATTGATGTCAAAACACAACAATAGATCAAGCCGTCGCAAAATGTCGTGCGTGCAGTAGACATAACT
GAGCAAGCTAATTCGCCAAAACACTGCAGGCTTAGTCAATGTGAATAAACGTGTCGATACACTCGACAAAAACACCAAGCCGGTATCG
CTTCTGCAGTCGCTTTAGGTATGTTGCCACAATCCACTGCTCCGGGTAAATCATTAGTGAGCTTAGGTGTGCGTCATCACCCTGGGCA
AAGTGCTACTGCTATTGGAGTATCTTCTATGAGCAGTAACGGTAAATGGGTTGTTAAAGGCGGTATGAGCTATGATACACAGCGTCAT
GCTACTTTCCGCGGTTCTGTCGGTTTTTTCTTTAACTAA

SEQ ID NO: 22 (Escherichia coli)

ATGAAAAGTGTAAACGTAGCTTTACTGGCACTCATAATTTAGCAACATCCAGCCCTGTTGTTTTAGCTGGTGATACCATTGAAGCGG
CGGCAACAGAGCTTTAGCCATTAACCTCTGGCATGTGCAATCGGAGATTGAGCAGAAGATTACCCGCTTTTGAACGCACAGACAA
CAGCCCCGCTGCGTATACCTATTTGACTGAACATCACTACATCCCTTCTGAAACACCTGATACCACCTCAGACTCCCCTGTCCAGACA
GATCCTGACGAGGACAAAAACCGTTGCCGCTACAGGTGATGTACAGACAACCTGCCGTTATCAGAGCATGATCAACGCCCGACAGT
CTGCGGTAACCTGACGCCAGCAAACGCAATTAACAGGCAACAGGCGCAGATCGTAGCCACACAAAAACGCTCGCCGCGACTGGAGA
TACGCAAAATACCGCGCATTATCAGGAAATGATTAATGCCAGACTGGCGGCTCAAAATGAGGCTAATCAGCGCACCGCCACTGAACAA
GGGCGAGAAATGAATGCGCTGACAACCGATGTGGCAGTACAACAGCAAAATGAAAGGACTCAATACGATAAACAAATGCAAGTCTGG
CGCAGGAGTCTGCCCAGGCACATGAACAAATTGACAGCCTGTCAACAGACGTAACCCAAACGCACCAACAGTTAAACCAACACCCAAAA
ACGGGTTGCGAGATAACAGCCAGCAAAATTAACACGCTCAATAACCATTTAGTTGCTTAAAAACGAAGTTGATGACAATCGTAAAGAA
GCCAATGCGGGAACCTGCATCTGCCATCGCTATCGCCTCACAACCACAGGTTAAACCCGTTGACGTGATGATGGTGTGAGCGGGAGCGG
GAACCTTCAACGGTGAATCTGCGGTGTCTGTGCGGAACATCATTTAATGCCGGAACGCATACGGTACTTAAAGCCGGTATTTCTGCGGA
TACACAATCTGATTTCCGGCGCAGGTGTCGGCGTGGGATATTCTGTTCTAA

Q ID NO: 23 (Escherichia coli)

[illegible]

GCATCGGCGGCGTCACCAGCCCCTTCTCTTCATAGAAGCGAATGGCTTTGCTGGTCAGGCCGGTAATTTTGGCTACATCGCTAATG
CATCGTTTCGCGCAACGCC

SEQ ID NO: 24 (EPEC)

ATGAAACTGTAAACGTAGCTTTACTGGCACTCATAATTTAGCAACATCCAGCCCTTTTGTTTTAGCTGGTGATACCATTGAAGCGG
CGGCAACAGAGCTTTAGCCATTAACTCGGGCATGTGCAATCGGAGATTGAGCAGAAGATTACCCGCTTTTACAGCGCACCAGACAA
GATCCTGACGCAGGACAAAAACCGTTCCCGCTACAGGTGATGTACAGACAACCGCCCGTTATCAGAGCATGATCAACGCCCGACAGT
CTACGGTAAGTATGCCCAGCAACGCAATTACAGAGCAACAGGCGCAGATCGTAGCCACACAAAAACGCTCGCCGCGACTGGAGA
TACGCAAAATACCGCGCATTATCAGGAGATGATTAATGCCAGGCTGGCGGCTCAAATGAGGCTAATCAGCGCACTACCACGGAACAA
GGGAGAAAATGAATGCACTGACAACCGATGTGGCAGCACAACAGCAAAAAGAAAGGGCTCAATACGATAAACAAATGCAAAGTCTGG
CGCAGAAGTCTGTCCAGGCACATGAGCAAAATTGAAAGTCTGAGACAAGATTCGCGACAAACGCAGCAACAGTTAACCAACACCCAAAA
ACGGGTTGCAGATAACAGCCAGCAAAATTAACACGCTCAATAACCATTTAGTTTCGCTAAAAAACGAAGTTGAGGACAATCGTAAAGAA
GCCAATCGGGAACTGCATCTGCCATCGCTATCGCCTCACAAACAGAGTGAACACGGGTGACTTGATGATGGTCTCAGCGGGAGCGG
GAACCTTTAACGGTGAATCTGCGGTGTCTGTGGAACATCTTTAATGCCGGAACGCATACGGTACTTAAAGCAGGTATTTCTGCGGA
TACACAATCTGATTTGGTTCGGGTGTGCGGCTGGGATATTCGTTCTAA

SEQ ID NO: 25 (EAEC)

ATGAAACTGTAAAGCTGTCTTTACTGGCTGTGCTTGTGCTACCGCGGTAAGTCCATCTGCGTTTGGCGGTGATACTGTTGAGGCGG
CAACGACAGAATTAACGGTAATCCAGCCAGGAATGTGCAATCGGAAATTGATCAGAAAATTGGTCGATTTTAGAAAGGACAGGGAA
TAGTGTAGCCGCACAAAATTATCTGATTGCGCATGATTACCAGACAACGACGCCTCAGGAAAATACAGCTGCTTCTCCCGTACAGCCC
ACCAATACGCTGAACCCGATAACCAATCAAGCGCAGACCGACCGCGACAACGGGCAGGATACCGCCATTCAGGACGCGCAGCAGCGCG
CCAATGCGCTTCACTGAAAGCTGATGACGCGCAGCAGCCATCAGGTGGCGCAGACGGATATTGATGCCAATACAGCGCCCATCAC
CGATACCCGTAATGATGTCTCCGAGTGCAGTCAGAGCTCACCACATAAAAGGCGATGTGCGACATGCCAGTCAACGGCTGACCAT
GCCAAGCTTAACGCCAACCCGCTCTGATTAACGGCGTCAAACCTTCCGGTGCTGTGACAGAAAAACAAAACAGCATCGAACAGAACCC
GCAGCGATATTGCTGACCCAGCAAACTGTTGGCATCAAACGAGCAAAAACAGATCGTCCGCGACAACGGGCAGGATACCGCCATTCA
GGACGCACAACATGCCGCCAATGGGCTTCACTGAAAGCTGATGACGCGCAACACGCCATCAGGTGGCGCAGACGGATATTGATGCC
AATAAAGCCGCCATCACCGACATCCGTAATGATGTCTCCGAGTGCAGTCAGACGTCACCAACATAAAAGGCGATGTGCGACATGCCC
AGTCAACGGCTGACCATGCCAACGTAACGCCAACCCGCTCTGATGAACGGCGTCAAACCTCTCTCTGCTGTGACAGAAAAACAAAA
TAATATCGAACAGAACCCGAGCGATATTGCTGACCAGCAGAAAATGTTGGCATCAAACGAGCAAAAACAGATCGTCCGCGACAACGGG
CAGGATACCGCCATTCAGGACGCACAACATGCCGCCAATGGGCTTCAATGAAAGCTGATGACGCGCAGCAGCCATCAGGTGGCGC
AGACGGATATTGATGCCAATAAAGCCGCCATCGCCGACACCCGTAATGATGTCTCCGAGTGCAGTCAGACGTCACCAACATAAAAGG
CGATGTGCGACATGCCAGTCAACGGCTGACCATGCCAACGTAACGCCAACCCGCTCTGATTAACGGCGTCAAACCTTCCGGTGCT
GTGACAGAAAAACAAAAATAATATCGAACAGAACCCGAGCGATATTGCTGACCAACAGCAACAACCTCGACGAAACCCGAAAATCGTTG
CCGCCACCGGGGATGTGCACTGCGCCCGATATCAGAGCATGATTGACGCCAGACAGACAGCCGCTGCCAATGCGCAACAGGCACA
AGCTGACACCCAGCAGCAACAAATGGACGATCAGCAGAAACAAATCGACGCGACGCAAAAAACGGTTTCCGCACTTGGCGATGCCAG
ACCAACGCACATTATCAAGAGATGGTTAACGCCGACTGAGAGCACAACATGATGCGAATGCGCGTACTGCAGCAGAACAAAAACAAA
AAATAGATACTCTGGCGACTAACAGGCAACGCAACAGCATATCAATAGTGTGAGTACGGGGAACAAATTCAGCGTCTGGCGCAAGA
CTCAACACAAACGCATGAACAAATTGACAGCCTGACACAAGACGTAACCCAAACGCATCAGCAGTTAAGCAACACGCAAAAACAGTA
GCGGATAATAGCCAGCAGATTACTACGCTCAATAACCATTTAGTTTCGCTGAAAAACGAAGTTGAGGACAACCGTAAAGAAGCCAATG
CGGGAACCTGCATCAGCCATCCCTATCCGCTCACAAACAGGTGAAAGCCGGTGACTTTATGATGATGTGACGCGGAGCGGGAACCTT
CAACGGTGAATCTGCGGTGTCTGTGGAACATCTTTAATGCCGGAACGCATACCGTGATTAAAGCCGGTGCTCTGCGGATACGCAA
TCTGATTTTCGCGCGGGGTGTGCGCGTGGGATATCTTTCTAA

SEQ ID NO: 26 (UPEC)

ATGAACAAAATATTTAAAGTTATCTGGAATCCGGCAACAGGCAGTTACACCGTTGCCAGCGAAACGGCGAAGAGCCGTGGTAAAAAA
GCGGGCGCAGTAAGCTGTTAATTTCTGCACTGGTTGCGGGTGGGTTGTTGTCGTCGTTTGGGGCAAGTGCAGATAATTACACTGGGCA
GCCAATGATTATGGCGATGGCTCAGCAGGTGACGGCTGGGTTGCTATCGGTAAAGGGGCAAAAGCAAATACCTTTATGAACACTAGT
GGCGCGAGTACAGCTTTAGGATATGACGCGATAGCCGAAGGTGAGTACAGTTCTGCCATCGGGTCAAAAACCTTGCAACTGGTGGAG
CATCCATGGCGTTTCGGGGTTAGTGCAAAAGCAATGGGTGACAGAAGTGTGCGCTAGGTGCATCGTCAGTAGCAATGGCGATCGTTT
GATGGCTTTTGGTCGTTACGCAAGACGAATGGTTTTACATCTCTTGCTATTGGGGACTCCTCCCTTGCCGATGGTGAAAAAACTATT
GCGTTAGGAAATACGGCTAAAGCTTACGAAATTATGAGCATCGCCCTCGGTGATAATGCCAATGCGTCAAAAGAGTATGCAATGGCGC
TGGGAGCAAGTAGCAAGCTGGCGGTGCTGATAGCCTCGCATTGCGCAGAAAACTACAGCTAATAGCACTGGCTACTGGCAATAGG
TGCTGACAGTAGCAGTTCAACGATAACGCCATCGCGATAGGGAACAAAACGCAAGCCCTGGGAGTGAATTGATGGCCCTGGGTAAT
GCAAGTCAGGCATCTGGCGAATCCAGTATTGCATTAGGTAACACCAGTGAAGCCAGCGAACAAAATGCGATTGCGCTGGGGCAAGGTA
GCATTGCAAGCAAAGTGAATCAATCGCGTTGGGAAGTAACAGTTTGTCTCGGAGAGAAATGCCATCGCATTGGGAGAGGGTAGTGC

SEQ ID NO: 27 (EHEC)

-35-

GGTGCATCAATGGCCTTTGGGGTTAGTGCAATATCAGAAGGCGATAGAAGTATAGCACTGGGTGCCTCTTCGTATTTCATTGGGCCA
 TACTCAATGGCCCTCGGCCGTTATTCAAAGCATTGGGTAAATTGTCTATTGCTATGGGGGACTCTTCCAAAGCGGAAGGAGCAAAC
 GCCATTGCCCTGGGAAATGCCACTAAAGCTACTGAGATTATGAGTATTGCTCTTGGCGACACCGCCAATGCGTCAAAGCGTATTCAA
 TGGCGCTGGGAGCAAGTAGCGTCGCATCTGAAGAAAACGCTATTGCGATAGGTGCTGAGACCGAAGCCGCTGAAAATGCAACTGCTAT
 TGGCAATAATGCGAAGGCAAAAGGGACTAATAGCATGGCAATGGGGTTCGGAAGCCTTGCCGATAAAGTCAATACTATCGCATTAGGA
 AATCGGACCCAGGCTCTGGCAGATATTCATTCGCGATAGGCGAGGCCAACAAGCTGATGSCGTGGATGCCATTCATTCGGTAATG
 CAGTGCCAACGGTATTAACCTCTGTCGCGCTGGGCGCAGATTCCATTGCGGATTTAGACAATACCGTCTCTGTCGGCAATAGTTCATTA
 AAACGCAAGATCGTTAATGTGAAAAATGGCGCGATCAAGTCTGACAGTTACGATGCCATTAATGGTTCACAGCTTTATGCCATTAGCG
 ACTCGGTAGCAAAAAGGCTTGGAGGAGGGGCTGCAGTAGATGTTGATGACGGTACTGTTACAGCACCACCTACAATTTAAAAAATGG
 TAGCAAAAATAACGTAGGGGCTGCGCTCGCTGTACTTGATGAAAACACCCTGCAATGGGACCAAAACCAAGGCAAAATACAGCGCTGCT
 CATGGTACTAGTAGCCCAACTGCCAGCGTAATCACCGATGTTGCGGATGGCAGGATTTAGCCTCCAGTAAGGATGCGGTTAACGGTT
 CCCAACTGAAAGCTACCAATGACGATGTCGAAGCCAACACCGCCAATATCGCTACTAATACCAGCAACATTGCCACGAATACGGCAAA
 TATTGCCACCAATACCACCAATATCACCAACCTGACGGATTCCGTTGGTGACCTTCAGGCTGATGCCCTGCTCTGGAACGAACTAAA
 AAGGCATTGAGTGCAGCTCACGGCCAGGATACCACAGCAAAATCACCAACGTTAAAGATGGCGACCTGACGGCTGACAGCACTGATG
 CTGTTAACGGCTCTCAGCTGAAAACCACCAACGATGCTGTGGCGACGAATACCACCAATATCGCCATAACACTTCCAATATTGCCAC
 TAACACCACCAACATCTCTAACCTGACTGAGACGGTGACTAATCTTGGTGAGGATGCGCTGAAATGGGATAAGGACAATGGTGTATTC
 ACGGCAGCTCATGGCACCAGACCAACAGCAAAATCACCAACGTTAAAGATGGCGACCTGACKACTGGCAGCACCGATGCCGTTAACG
 GCTCTCAGCTGAAAACCACCAACGATGCCGTGGCGACGAATACCACCAATATCGCCATAACACCACCAACATCTCTAATCTGACTGA
 GACGGTGACTAATCTTGGTGAGGATGCGCTGAAATGGGATAAGGACAATGGTGTCTTCACTGACGCTCATGGCAACAATACCGCCAGC
 AAAATCACCAATATCCTGGACGGCAGTCACTGCAACCAGTTCGGATGCCATTAACGGTAGCCAGCTTTATGACTTAAGCAGCAATA
 TCGCCACCTACTTTCGGCGGAATGCTTCTGTGAATACTGACGGTGTGTTTACCGGTCCAACCTACAAAATCGGTGAAACAAATTATTA
 TAACGTGGCGGATGCACTGGCTGCGATTAACTCCTCATTTAGCACGTCTCTCGGCGATGCTCTGCTTTGGGATGCCACCGCAGGTA
 TTCAGTGCCAAACACGGTACTAATGGTGACGCAAGCGTGATCACTGATGTCGAGATGGTGAAATTTAGACTCCAGTTCTGACGCAG
 TAAACGGCTCACAACCTCCACGGCGTGAGCAGTTATGTTGTTGATGCGCTGGGGGGTGGTGCCGAAGTCAATGCAGACGGCACCATCAC
 TGCGCCGACGTACACCATTGCTAATGCTGATTACGATAATGTGCGTGATGCCCTGAATGCTATCGATACCCTCTTGACGACGCTCTG
 CTCTGGGATGCGGACGCCGGTGAAATGGTGCAATTTAGCGCGCTCACGGAAGATAAACTGCCAGTGTAACTACTAACGTCGCTA
 ACGGTGCAATCTCTGCTGCCAGCAGCGACGCGATTACGGCTCACAACCTCTATACCACCAATAAGTACATCGCTGATGCGCTGGGTGG
 TGACGCAGAAGTCAACGCTGACGGCACCATCACCGCACCAGCTTACACCATTCGGAACGCCGAGTACAACAACGTCGGTGACGCCCTG
 GATGCGCTTGATGATAACGCCCTGCTGTGGGATGAGACTGCCAATGGCGGTGCTGGAGCCTACAATGCCAGCCATGACGGTAAAGCCA
 GCATCATCACTAATGTGCTAATGGCAGTATTAGTGAGGACAGTACCGATGCACTGAACGGTTCTCAGTTGAATGCGACGAATATGAT
 GATTGAGCAGAACACCCAAATTATCAATCAGCTCGCTGGTAACACCGACGCAACCTATATCCAAGAAAACGGTGCGGGTATTAACTAT
 GTGCGTACTAACGACGACGGCTTAGCGTTCAACGACGCCAGCGCAGGATGTTGGCGCTACAGCTATAGCTATACTCTGTGCGCA
 AAGGCGATAGCAGCGTAGCTATTGGTCAGGGCAGCTACAGCGACGTTGATGAGGATATCGCCCTGGGTAGCAGCTCTGTTCCAGCCG
 AGTGATTGCCAAAGGCTCCCGTGACACCAGCATAACGGAATAATGGCGTTGTTTGGTTACGACACCACGGATGGCGAACTGCTCGGT
 GCATTGTCTATCGGTGATGACGGTAAATATCGTCAAATCATCAACGTAGCCGATGGTTCCGAAGCCCATGACGCCGTTACGGTTCTGTC
 AATTGCGAATGCGATTGGTGCGGTGCGCAACCACGCCGACTAAATACTTCCACGCTAATTCAACGGAAGAAGATTCACTGGCAGTGGG
 AACTGACTCGCTGGCAATGGGTGCGAAAACCATCGTGAATGGCGATAAAGGTATTGGTATCGGTTATGGTGCCTACGTGGACGCGAAT
 GCACTTAACGGCATTGCCATTGGTAGCAATGCGCAAGTCATTATGTCAACAGTATTGCGATAGGTAATGGTTCTACGACCACTCGTG
 GCGCTCAAACCAATTATACCGCTACAACATGGACGCACCGCAGAACTCTGTGCGTGAATTCTCAGTCGGTAGTGCGGATGGTCAACG
 TCGATGCACTAATCCCTCGGACCGAGTTCCGGTGATACCGATGCGGTCAACGTGGGTGAGTTGAAAGTAACGCATCCGCTGGTTTCCAG
 AATACCCAGAGCATTACTAACCTGGATAATCGGGTAACGAATCTTGATTACGCGCTACCAATATCGAAAACGGTATTGGCGATATCG
 TCACCACCGGTAGCACCAAGTACTTCAAGACCAATACCGATGGTGTAGATGCCAGCGCGAGGGTAAGATAGCGTCGCGATTGGTTC
 CGGCTCCATTGCTGCCGCTGACAACAGCGTCGCTCTGGGTACAGGGTCTGTGGCAACCGAAGAAAATACGATCTCTGTAGGTTCTCT
 ACTAACCAACGTCGTATCACCAACGTAGCTGCAGGTAAAAATGCTACCGATGCTGTTAACGTGGCACAGTTGAAGTCTTCCGAAGCTG
 GCGGTGTACGTTACGACACCAAGCTGATGGTTCTATCGACTATAGCAATATCACCTCGGTGGCGGCAACGGCGGTACGACTCGTAT
 CAGCAACGTCCTCGCTGGCGTCAACAACAACGACGTGGTGAATTACGCGCAGTTGAAGCAAAGCGTGACGGAACGAAGCAATACACC
 GATCAGCGAATGGTTGAGATGGATAACAACACTGTCTAAAACGAAAGCAAGTTGAGCGGTGGTATCGCTTCTGCAATGGCAATGACCG
 GTCTGCCGACGGCTTACACTCCAGGTGCCAGCATGGCTCTATTGGTGGCGGTACTTACAACGGTGAATCGGCAGTTGCTTTAGGTGT
 ATCGATGGTGAGCGCAATGGTCGTTGGGTCTACAAATTACAAGGTAGTACCAATAGCCAGGGTGAATACTCCGCCGCACTCGGTGCC
 GGTATTCAGTGGTAA

SEQ ID NO: 28 (EAEC)

ATGAACAAAATTTTTAAAGTTATCTGGAATCCGGCAACAGGCAGTTACACCGTTGCCAGTGAACGGCAAAAAGCCGTGGCAAGAAAT
 CCGGGCGCAGTAAGCTGTTAATTTCTGCCCTGGTTGCTGGGGGAATGTTGTCGTCGTTTGGGGTACAGGCTCAGGCAGGAAGGGACAA
 CCGTCAGGGCGTCAATTATGGCCAGGGAACAGGAACAGGCTGGGTGCTATCGGTGAAGATGCAAAAGCAAATAGTTTTACAGACACC

GGTGGCTCCAGCACCGCAGTAGGTTATCACTCAACTGCTGACGGAAGGTGGTCAACAGCCCTCGGTGCTAAGACCCATTGCTTG
CCGAAGCATCAGTGGCGTTAGGGATTAACACTACCTCAGCAGGTGAGCGAAGCCTCGCTATAGGTGCATCGGCAACGTCAACGGGTGG
ATTTTCAATCGCACTTGGTCGTTATGCGAACTCAGTAGGTGAATTTTCTATTGCACAAGGGGATCACGCAGAGACTGGTGCTGATGAC
GCCATCGCATTGGACGTGAAAGCAAGGCCTTAGGAATTATGAGTATCGCCCTCGGAGCCACGGCTAATGCGTCGAAAGAATATGCAA
TGGCGCTGGGTGCAAGTACCGCCGCTGCTGCTTAACGGGATTGCACTAGGCCGCAACAGTGCTGCAGCTGGGCTGCTGAGGCTCC
ACTAACCGCGGACCCAAATGGACTTAATAGTATCGCGTTGGGCTCCGGCAGTATTGCAGATGTGACAAACAGATGCTGCTGGGCAATC
AAAGTCAGGCAGTAGCGGCTGGCGCAATTGCCATCGGTCAAGGGAATAAAGCTGACGGCGCAAATGCTATCGCGCTGGGTAATGGTAG
TATTACAGGTGGTGAAATGCTATTGCTCTTGGACAAGGCAGTTATGCCGTTTAGAAAATGGCACTGCAATTGGTGCTCAAGCCAGT
GCTCAGGGGAAAATTCAGTTGCTCTGGGTGCTGGTTCTGTAGCGACTGACGCGGATACTGTTCTGTGGGTAAACACAACAGCTCAGC
GACAAATTGTCAATATGGCAGCAGGTGATATCAGCACTACCAGTACTGATGCCATCAATGGATCACAGCTTTATGCTATCAGTAAGTC
AGTAGCGGACAATCTTGGTGGGGGGCTACCGTCAATGCCAAGGCGTCTTACTTCCCCAAATTACAGGCTGAAAAGTGGTATTTTC
GGCACTGTTGGCGACGCCTTAACGGGCTGGACAATAATACGTTACAATGGGACTCCCTTAAAAAGGCATATAGTCCGGCACATGGTA
CAGATACTACCAGTACCATCACCAACGTTAAAGACGGCGCTATTTCTGATACCAGTAAGGATGCGGTTAACGGTCTCAGCTGAAAAC
CACCACGATAACGTAGCGACCAATACTGCCAATATCACCAACACTAACAGTATCAATACCCTGACGGATTCCGTTGGCGACCTT
AAAGACGATGCCCTGCTGTGGAATGGCACCGCGTTACAGCGCCGCGCACGGCACCGAAGCCACCAGCAAATCACCAACGTCAAAGACG
GTGACCTGACGGCTGGCAGCACCGACGCGTTAACGGCTCTCAGCTCAAAACCACTAACGATAATGTGGCAACCAACACCACCAACAT
CACCACCTGACGGATTCCGTTGGCGACCTTAAAGACGATGCCCTGCTGTGGAATGGCACCGCGTTACAGCGCCGCGCACGGTACCGAT
GCCACCAGCAAATCACCAACGTCAAAGACGGTGACCTGACGGCTGGTAGCACTGACGCGGTAAACGGCTCTCAGCTGAAAACCACTA
ACGATGCCGTGGCAGCCAACACCACCAATATCGCCACGAATACCACCAACATCACCAACCTGACTGACGCAGTTGACAGCCTCGGTGA
CGATTCCCTGCTGTGGAACGCTACAGCGGGGGCATTACAGCGCCGACACGGTACTGATGCCACCAGCAAATCACCAACGTACCGCT
GGCGACCTGACGGCTGGCAGCACCGACGCGTTAACGGCTCTCAGCTCAAAACCACTAACGATGCCGTGGCAGCCAACACCACCAATA
TCGCCACGAACACCACCAACATCACCAACCTGACTGACGCTGTTGACAGCCTCGGTGACGATTCCCTGCTGTGGAACGCTACTGCGGG
GGCATTACGCGCCGCGCACGGTACTGATGCCACCAGCAAATCACTAACGTCAAAGACGGTGACCTGACGGCTGGCAGCACTGACGCG
GTTAACGGCTCTCAGCTCAAAACCACTAACGATGCCGTGGCAGCCAACACCACCAATATCGCCACGAACACCACCAACATCACCAACC
TGACTGACGCTGTGACAGCTCTCGGTGACGATTCCCTGCTGTGGAACGCTACGGCGGGTGCAATTAGTGCCAAACACGGCACCAACGG
TACTGACAGCAAATCACCAACTTACTGGCAGGCATCTATCCTGTATGACGATGACGCTATTAATGGCTCACAACCTTTATGGCTTA
GCTGATTCAATTTACGTCATACCTTGGCGGTGGTGCTGATATCAGCGATGCGGGGTATTAAACGGGCCAACCTACTACTTGGTGTTA
CTGATTACAATAACGTCGGTGATGCTCTGGGTGCCATTAAACAGCTATTAGCACATCACTCGGTGACGCCCTACTCTGGGTGCGAC
CGCCAAGGGCGGTGACGGTGCGTTTAGCGCCGGTCGCGGGACAGATAACACAGCCAGCATATTACTAATGTTGACAGCGGTGCAATT
TCCTCTACCAGCAGCGACGCTATTAACGGCTCACAGCTCTATGACACCAGCAAGTACATTGCCGATACTCTGGGTGGTGACGCAGAAG
TCAATGCTGACGGCACAAATCACCGCACCGACTTATGCCATCGCTGGCGGCAGTTACAGCAACGTGGGTGACGCGCTGGAAGCGATCGA
TACCACGCTGGATGACGCTCTGTTGTGGGATGCAACAGCCAATGATGGCAATGGTGCAATTAGCGCCGCTCACGGAAGAGATAAAACA
GCCAGTGTAACTACTAACGTCGCTAACGGTGCAATCTCTGCCACCAGCAGCGATGCCATTACGGTTACAACTGTATACCACCAACA
AGTACATTGCCGATGCCCTGGGTGGTGACGCAGAAGTTAACGCTGATGGTCTATTACTGCGCCGACTTACACCATTGCAAATGCCGA
GTACAACAACGTCGGTGACGCCCTGGATGCGCTCGACGATAACGCTCTGCTGTGGGATGCAACAGCCAATGACGGCGCAGGTGCCTAC
AACGCCAGCCATGACGGCAAGGCCAGCATCATCACAATGTTGCTGATGGTAACATTGGCGAAGGCAGCACTGACGCCATCAACGGTT
CTCAGCTGTTTAAACCAATATGCTGATCCAGCAGAACAGCGAATCATCAATCAGCTTGCCGGTAACACCAGCGAAACCTACATCGA
AGATAACGGTGCGGGCATTAACTATGTACGTACCAACGACAACGGCTTAGCGTTCAACGATGCCAGCGCTTACGGTATTGGCGCTACG
GCTGTGGGTTATAACGCTGTGCGCTCAGGCGAAAGCAGCGTAGCCATTGGTCAAGGTAGCAGCAGCAACGTTGATACGGGTATCCCC
TGGGTAGCAGTTCCGTTTCCAGCGGTGTAATAGTTAAAGGTTCTCGTGACACCAGCGTGTGCGAAGAAGGTGTTGTGATTGGTTATGA
CACCACGGATGGCGAACTACTTGGTGCGTTGTCTATTGGTGATGACGGTAAATATCGTCAAATCATCAACGTAGCCGATGGTTCCGAA
GCCCATGACGCCGTTACGGTTCCGCCAGTTGCAAAATGCCATTGGTGAGTGCCTACCACGCCGACCAAATACTTCCACGCCAACTCAA
CGGAAGAAGATTCACTGGCAGTAGGTGAAGACTCGCTAGCAATGGGCGCGAAAACCTATCGTTAATGGTAATGCGGGTATTGGTATCGG
TTATGGTGCCTACGTGGACGCGAATGCACTTAATGGCATTGCTATCGGTAGCAACGCGCGTGCAAAACCATGCAAAACAGCATTGCTATG
GGTAATGGCTCACAGACGACTCGTGGTGCTCAAACCTGGCTACGCCGCTTAAACATGGACGCACCGCAGAACTCTGTGGGTGAGTTCT
CTGTGCGGAGTGAAGACGGTCAACGTCAGATCACCAACGTGCGCGCTGGTTCCGGTGATACCGATGCGGTTAACGTGGGTGAGTTGAA
AGTAACGGACGCGCAGGTTTCCAGAAATACCCAGAGCATTACTAACCTGAACAATCAGGTCACTAATCTGGATACTCGCGTTACTAAT
ATCGAAAACGGTATTGGCGACATTGTAACCAACGGTAGCACCAAGTACTTCAAGACCAACACCGATGGCGTAGATGCCAACGCGCAGG
GTAAAGATAGTGTGGCATTGGTTCTGGTTCCATTGCTGCCGCTGACAACAGCGTCCGCTGGGTACAGGCTCCGTGGCCAACGAAGA
AAATACCATCTCTGTGGGTCTTCTTACCAACAGCGTCGTATCACCAACGTTGCTGCAGGTGTTAATGCCACCGATGCGGTTAACGTT
TCGCAGCTGAAGTCTTCTGAGGCAGGCGCGTTCGTTACGACACCAAAGCTGATGGCTCTGTAGACTACAGCAACATCACTCTCGGTG
GTGGTAATGGCGGTACGACTCGCATCAGCAACGCTCTCCGTGGCGTGAACAACAACGACGCACTGAAGTATGCGCAGCTGAAGCAAAG
CGTGACGGAACGAAGCAATATACCGATCAGCGGATGGTTGAGATGGATAACAACTGTCCAAAACCGAAAGCAAGTTGAGCGGTGGT
ATCGCTTCTGCAATGGCAATGACCGGTCTGCCGAGGCTTACACTCCAGGTGCCAGCATGGCCTCTATTGGTGGCGGTACTTACAACG

SEQ ID NO: 29 (Burkholderia fungorum)

[illegible]

ACGCGGTGGCCTCTGCGACCAACTCGGTGGCGCTGGGTTGCAATTGCAGACGACGCGGAACCTGTGCGGTGCGGGTTATAACCC
GGTACGGGTACGTTGTGCGGCATCGCGTCGGCGGCCAATGGCGAAGTGTGCGTGGTGCAGCAGGCAAGGAACGTGCGGTGACGAAC
GTGGCAGCCGGCTCGGCAGCCACGGATGCGGTGAACGTGAGCCAGTTGCAGTGCGAAGATGCGAAGGTGAACACGATCAACAACAACG
TGAACAACCTGAGCGGCAGTGTACCAACATCAGCAGCACGGTGAACAACATCACCACGGTAGCGGCATCAAGTACTTCCACACGAA
CTCGACGTTGGCGGATTCGTGCGGTGCGCGGCCAATAGCATTGCTATCGGTGGCGGGGCGCGACCGAGTAGCAGTCCCGCGCCGCG
GCGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGT
CAACACCGTAATCAATGGCGTCAACTCGGTAGCGCTCGGGATCTCGGCAGCAGCAGCGGGAGCGGCAGCATGGCCTTTGGCTCGGCG
GCACAGGCAAGCGCGGACTATGCGATTGCAAGTGGGGCAGGCGCCAATGCATCGGCTGTGAATTCGGTGGCGCTGGGTTGCAACTCGA
CGACGACGCGCAACCTGTGCGCAGCGGGTTATAACCGGGTACGGGTACGCTGTGCGGCATCGCTTCGGTAGCCAATGCCGAGGTG
GGTGGGCTCGGCAGGCAAGGAACGTGCGGTGACCAACGTGGCAGCCGGTTCGGCAGCGACGGATGCGGTGAACGTGAGCCAGCTCCAG
TCGGAAGACGCCAAGGTGAACACGATCAACAATAACGTGAACAACCTGAGCAACAACGTGAGCAACATCGCGGGCAACGTCAACA
TCAGCAACACGGTGAACAACATCACCACGGTGGCGGCGGCATCAAGTACTTCCACGCGAACTCGACACTCGCGGATTGCTCGGCAAC
GGGCACGGATGCAAGTGGCGATCGCGGGGAATGCCAGGCGACGCGGGCAACTCGGTAGCACTGGGTTCAAACCTCGACGACGACGCGCA
AACCTGTGCGGCAGCGGGCTACAACCCGGGCACGGGTACGCTGTCCGGTACGACCCGGTGGGCGAAGTGTGCGTGGGCTCGGCAGGCA
AGGAACGTGCGGTGACAAACGTGGCGGCCGGCTCGGCGGCCACGGATGCGGTGAACGTGAGCCAGTTGCAGTCCGCCATCATCGGCAG
CACC CGAATGCGGTGCGCTATGACGACGGCAGGAAGGCCACGGTTACGCTGAAGGGCGGAGCGGTACGAAGATCACCACCTGACG
GCAGGTAATCTGAGCGCAACGAGCAGCGACGCGGTGAACGGCTCGCAGTTGTATGCGACGAACCAGAACGTGTGGAATGTGCGTAACA
CGGTGAGTAACCTGAGCAACAACGTGACGAACATCGCGGGTAACGTGACCAACATCAGCAACACGGTGAACAACATCACCACCTGGTGG
TGGCATCAAGTATTTCCACGCGAACTCGACGCTCGCGGATTTCGTGCGGCAGCGGGCAGGATGCAAGTGGCGATCGGTGGCAATGCCAG
GCGACGGCAGCGAACTCGGTGGCGCTGGGTTCAAACCTCGACGACGACGCGGAACCTGTGCGCAGCGGGCTATAACCTGGCAGCGGTG
CGTTGTCCGCTACGACCCCGGTGGGCGAAGTGTGCGTGGGCTCGGCAGGCAAGGAACGTGCGGTGACGAACGTGGCAGCCGGCTCGGC
AGCGACGGATGCAAGTGAACGTGAGCCAGTTGATGTCCGAAGATGCCAAGGTGAACACGATCAACAACAACGTGAACAACCTGAGCAAC
AACCTGAGCAACATCGCGGGTAACGTGACCAACATCAGCAATACGGTGAACAACATCACCACGGTGGCAGCGGCATCAAGTACTTCC
ACGCGAACTCGACGCTGGCGGATTTCGTGCGGCAACGGGCGTGTGACGCACTGGCGATCGCGGGCAATGCCAGGCGACGGCAGCGAACTC
GGTAGCACTGGGTTGCAAGTGCAGCAGCAGCGAACCTGTGCGGACGCGGTTATAACCCGGGCAGCGGTGCGTTGTCTGGCATCGCT
TCGGCAGCCAACGGTGAAGTGTGCGTGGGTGACGACGCAAGGAACCGCGCATCACTAACCTGACGAGCGGCTCGGCAGCCACGGAT
CGGTGAACGTGAGCCAGCTCCAGTTCGGAAGACGCGAAGGTGAACACGATCAACAACAACGTGAACAACCTGAGCAACAACGATGCA
CATCGCGGGCAACGTGACCAACATCAGCAATACGGTGAACAACATCACCACGGTGGCAGCGGCATCAAGTACTTCCACGCGAACTCG
ACACTCGCGGATTTCGTGCGCAACGGGCACGGATGCAAGTGGCGATCGGTGGGAATGCATCGGCATCGGCGGCAAACTCGGTGGCGCTGG
GTTGCAACTCGACGACGACGGCGAACCTGTGCGCAGCGGGATACAACCCGGGTTGCGCAGCACTGTGCGGCACGGCCTCGGCAGCCAA
CGGCGAAGTGTGCGTGGTGCAGCAGGCAAGGAACGCCGCATCAGCAACGTAGCAGCGGCTCGGCAGCCACGGATGCGGTGAACGTG
AGCCAGCTCCAGTTCGGAAGACGCGAAGGTGAACGCTGAAGGCGCGGCCACTGCGGCAGCGCTGGGCGGCGGTTGACCTACAACACGA
CGACGGGTGCGATCACCAGTCCGACGTACATCGCAGGCGGCAAGACGTTCAACAATGTTGGCGATGTAGTCAGGAACATCGACGGCCG
TGTTACGCGAAGTTCGACGGACATCAGGAACCTGACTACGACCATCGACAACGGCAGCATCGGTCTGGTGCAGCAGGCTACGCCGACG
AGCACGATTACGGTTCGCGAAGGACACGGGCGGCGGACGGTGGATTTCGGGGGACGGGCAATGCAACTCGCACGTTGACGGGCATCA
CGGCGGGTGAAGTTCGAGCGAACGAGCAGCGATGCGGTGAACGGCTCGCAGTTGTACGCGACGAACCGAAGCTGTGCAACATTGACAA
CACGGTCAAGTACTTCCACGCGAACTCGACGCTGGCGGATTTCGTGCGCAACGGGCGTTGACGCAAGTGGCGATCGGCGGCAATG
GGTGGCGGCATCAAGTACTTCCACGCGAACTCGACGCTGGCGGATTTCGTGCGCAACGGGCGTTGACGCAAGTGGCGATCGGCGGCAATG
CCCAGGCGACGGCAGCGAAGTTCGCTGACGCTCGGTTGCAACTCGACGACGACAGCGAACCTGTGCGGCAGCGGGCTACAACCCGGGCAC
GGGCAGGTTGCGGCGACGCTGCGGCGAAGTTCGCTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGT
GCCGGCTCGGCAGCCACGGACGCGGTGAACGTGAGCCAGTTGCAATCGGAAGATGCCAAGGTGAACACGATCAACAACAACGTGAACA
ACCTGAGCAACAACGTGAGCAACATCGCGGGCAATGTGACGAACATCAGCAACACGGTGAACAACATCACCACGGTGGCGGGCGGCAT
CAAGTACTTCCACGCGAACTCGACGCTGGCGGATTTCGTGCGGCAGCGGCACCAACAGCCTGGCGGGCGGACCGGCAGCGGTGGCATCC
GCCACTGACGCACTGCACTGGGCAACGGCGCGAAGGCAACCAACGCCGGCGCGGTGGCACTCGGCGCAGGTTGACGACAACGACCG
CGGTGGCAACCTCCGGCAGCAGATTGGCGGCATCACCTACACGTTTCGACGGCTCGCTCCGTGAGCAGCGGTGAGCGTGGGTGCGGC
GGTAGCGAGCGCAGATCAGGAACGTGGCGGCTGGCCGCTGAGCGCGACGAGCAGGACGCGGTCAACGGCAGCGAACTGTTTGCA
ACCAACGACAGGTGACGCGAAACACCGCGGACATCACCACCTGACGAACAACATGAACATCGGTTGCGTGGGTCTGGTGCAGCAGG
ACGCGACGACAGCGACCATCAGGTGCGCAAGGCCACGACGCTGACGCGGTGCACTTCAGGCGCAGGGGGCGCGCGTCAATTGAC
GGCGTGGCGCGAGCGCAGTGAACGCGACGAGCGTGGATCGGTTGAACGTTTCGAGCTTCAGGTTGTGTGCGAGAGCGTGGCGGAT
GCGATCGGCGGTGGCTCGACCGTGAACACGGATGGCTCCATCTCGGCCCCGACCTACGTTGTGGACGCGCAGGCTCCCAATCGCG
GCGACGCGATCAGCAACCTCGACACCGTGTGACGCGAAGACACCGACATCAGCAGATCAACAACAACGCTGAACGACATCACCAC
GGGTGCGGGCGTCAAGTACGTGCATGTGAACCTGACCCCTGGCCGACTCGCTGGCGAAGGGTGGGAGTGGTGGCGATCGGCGGTAAC
GCGCAATCGCAGGCGGCGAACTCGGTGGCATTGGGTTGCAACTCGGTGGCGGATCGTGCCAAACGGTGTGCGTGGGCGCGGCTGGTG
CGGAGCGTCAATCACCACGTGGCGGCGGTTACGGCGGACACGGATGCGGTGAACGTGCGCGCAGTTGAAGGCGTGGGTGTGATCAA
TACGGATGGCAGCAACCGCGCGCTCAGTACGACCAACCGCGGACGGCTCGGCCAACTACAACAGCGTCAAGTGGGTAACGTT

SEQ ID NO: 32 (Brucella melitensis)

2025-10-25 10:00

-41-

SEQ ID NO: 36 (Bradorhizobium japonicum)

-43-

Coils output for 961 hi





FIGURE 2

Coils output for 961 haeso



2/10

FIGURE 3

Coils output for 961 k1




FIGURE 4

Coils output for unknown




FIGURE 5





FIGURE 6



4/10

FIGURE 7

Coils output for unknown





FIGURE 8

Coils output for unknown



5/10

FIGURE 9

Coils output for unknown





FIGURE 10

Coils output for unknown



6/10

FIGURE 11

Coils output for unknown





FIGURE 12

Coils output for unknown



7/10

FIGURE 13

Coils output for unknown




FIGURE 14

Coils output for unknown




FIGURE 15




FIGURE 16

ECK1	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
EHEC	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
EPEC	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
EAEC	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
HAESO	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
RALSO	SGIAA	TALM	PDVD	QKST	ATGIG	STYKGY	QAVAG	SASA	RISHN	LAKME	VGYSE
BURFO	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
SAA	AGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
UPEC	GGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
SHIFL	GGTASAI	ASQPOVK	TGDM	TSAGAGT	ENGESAVS	MGTS--	FNAGTHTVLK	ASADT	QSDFGAG	VGVG	SE
NADA	QGLAE	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
HADA	RGIAA	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
ACTAC	NGIAA	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
EIBC	RRAA	QSAAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
EIBD	RRAA	QSAAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
EIBF	RRAA	QSAAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
EIBA	RRAA	QSAAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
EIBE	RRAA	QSAAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
USPA2	NGIAA	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
YADA	KGLAS	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
DSRA	TGLAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
BRUM	AGAAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
BRUSU	AGAAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
BRUM2	AGAAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
BRUSU2	AGAAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
SINME	AGAAN	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN
BRAJA	GGLAL	QAL	SGLE	QPYNV	GRFNV	TA	AVGGY	KSES	AV	AGT	GRFTEN




FIGURE 17





FIGURE 20



10/10

FIGURE 18





FIGURE 19



PCT/IB2004/002351



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.